PHYTOCHEMISTRY

AN INTERNATIONAL JOURNAL

OF PLANT BIOCHEMISTRY

Executive Editors
J. B. HARBORNE
T. A. SMITH

Volume 30 Contents, Author Index and
Subject Index 1991

PERGAMON PRESS

OXFORD · NEW YORK · SEOUL · TOKYO

PHYTOCHEMISTRY

The International Journal of Plant Biochemistry

(1 volume per annum of 12 issues)

Editor-in-Chief

J. B. HARBORNE: Plant Science Laboratories, The University, Whiteknights, Reading, RG6 2AS, Berks., U.K.

Founding Editor

T. SWAIN†: Jodrell Laboratory, Royal Botanic Gardens, Kew, Richmond, Surrey TW9 3DS, U.K.

Executive Editor

T. A. SMITH: Long Ashton Research Station, Bristol, BS18 9AF, U.K.

Associate Editors

L. J. GOAD: Dept. of Biochemistry, Liverpool University, Liverpool, L69 3BX, U.K.
P. J. HOLLOWAY: Long Ashton Research Station, Bristol, BS18 9AF, U.K.
D. R. THRELFALL: Dept. of Applied Biology, School of Life Sciences, University of Hull, Hull, HU6 7RX, U.K.
C. A. WILLIAMS: Plant Science Laboratories, The University, Whiteknights, Reading, RG6 2AS, Berks., U.K.

Production Editor

S. E. HAMMOND: Journals Production Dept., Pergamon Press plc, Headington Hill Hall, Oxford, OX3 0BW, U.K.

EDITORIAL BOARD—1991

Y. Asakawa:	Faculty of Pharmaceutical Sciences, Tokushima Bunri University, Yameshiro-cho, 770 Tokushima, Japan.
E. A. Bell:	Dept. of Biochemistry, King's College, Strand, London WC2R 2LS, U.K.
E. G. Brown:	Dept. of Biochemistry, University College of Swansea, Singleton Park, SA2 8PP, U.K.
E. E. Conn:	Dept. of Biochemistry and Biophysics, University of California, Davis, CA 95616, U.S.A.
G. Cordell:	Program for Collaborative Research in the Pharmaceutical Sciences, College of Pharmacy, University of Illinois at Chicago, IL 60612, U.S.A.
L. Fowden:	Rothamsted Experimental Station, Harpenden, Herts., U.K.
T. W. Goodwin:	Dept. of Biochemistry, University of Liverpool, Liverpool, L69 3BX, U.K.
O. R. Gottlieb:	Instituto de Quimica, Universidade de São Paulo, C.P. 20780, São Paulo 01498, Brazil.
J. L. Harwood:	Dept. of Biochemistry, University of Wales, P.O. Box 903, Cardiff CF1 1ST, U.K.
V. Herout:	Dept. of Natural Products, Inst. Organic Chemistry, Flemingovo N2, Praha 6, Czechoslovakia.
W. Herz:	Dept. of Chemistry, The Florida State University, Tallahassee, FL 32306, U.S.A.
K. Hostettmann:	Institut de Pharmacognosie et Phytochemie, B.E.P., 1015 Dorigny-Lausanne, Switzerland.
E. Leete:	School of Chemistry, University of Minnesota, Minneapolis, MN 55455, U.S.A.
M. Luckner:	Sektion Pharmazie, Universität Halle (Saale), Germany.
T. J. Mabry:	Dept. of Botany, University of Texas at Austin, TX 78712, U.S.A.
P. Mazliak:	Lab. de Physiologie Cellulaire, Université Pierre et Marie Curie, 75005 Paris, France.
B. V. Milborrow:	School of Biochemistry, University of N.S.W., P.O. Box 1, Kensington, NSW 2033, Australia.
J. D. Phillipson:	School of Pharmacy, University of London, 29/39 Brunswick Square, London WC1N 1AX, U.K.
T. ap Rees:	Botany School, University of Cambridge, Downing Street, Cambridge CB2 3EA, U.K.
J. Tempe:	Institut des Sciences Végétales, CNRS, 91198-Gif sur Yvette and Institut National Agronomique Paris-Grignon, 75231-Paris, France.
G. H. N. Towers:	Dept. of Botany, University of British Columbia, Vancouver 8, B.C., Canada.
H. Wagner:	Inst. für Pharmazeutische Biologie, Karlstrasse 29, 8 München 2, Germany.
P. G. Waterman:	Phytochemistry Research Laboratories, Dept. of Pharmacy, University of Strathclyde, 204 George Street, Glasgow G1 1XW, U.K.
M. H. Zenk:	Inst. für Pharmazeutische Biologie, Karlstrasse 29, 8 München 2, Germany.

All manuscripts and contributions should be submitted to J. B. HARBORNE at Reading. Authors in North America may send their manuscripts to Prof. G. CORDELL, Program for Collaborative Research in the Pharmaceutical Sciences, College of Pharmacy, University of Illinois at Chicago, IL 60612, U.S.A. for onward transmission. Authors are earnestly required to consult the latest 'Instructions to Authors', which are published in Vol. 30, No. 1. (Copies of these instructions are available from the Reading office.) Review articles are welcomed, but intending Authors should send an outline to one of the Editors before preparing their manuscripts. Books for review should be sent to J. B. HARBORNE.

This journal has been designated an official organ of the 'The Phytochemical Society of Europe' and Society announcements will appear at regular intervals. A reduced subscription rate is available to members of the Phytochemical Society of Europe who should make application to the Secretary of the Society.

Publishing and Advertising Offices: Headington Hill Hall, Oxford, OX3 0BW, U.K. *Annual Institutional Subscription Rate* (1992): £760.00 (US$1215.00). *Two-year Institutional Rate* (1992/93): £1444.00 (US$2308.00). Sterling prices are definitive. US dollar prices are quoted for convenience only, and are subject to exchange rate fluctuation. Prices include postage and insurance and are subject to change without notice. Subscription rates for Japan are available on request. Personal subscription rate for those whose library subscribes at the regular rate is available upon request from any Pergamon Office. Subscription enquiries from customers in North America should be sent to: Pergamon Press Inc., 395 Saw Mill River Road, Elmsford, NY 10523, U.S.A., and for the remainder of the world to: Pergamon Press plc, Headington Hill Hall, Oxford, OX3 0BW, U.K. *Microform Back Issues:* Back issues of all previously published volumes, in both hard copy and on microform, are available direct from Pergamon Offices.

It is a condition of publication that manuscripts submitted to this journal have not been published, and will not be simultaneously submitted or published elsewhere. By submitting a manuscript, the authors agree that the copyright for their article is transferred to the Publisher if and when the article is accepted for publication. However, assignment of copyright is not required from authors who work for organizations which do not permit such assignment. The copyright covers the exclusive rights to reproduce and distribute the article, including reprints, photographic reproductions, microform, or any other reproductions of similar nature, and translations. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form, or by any means, electronic, electrostatic, magnetic tape, mechanical, photocopying, recording or otherwise, without permission in writing from the copyright holder.

Whilst every effort is made by the publishers and editorial board to see that no inaccurate or misleading data, opinion or statement appears in this journal, they wish to make it clear that the data and opinions appearing in the articles and advertisements herein are the sole responsibility of the contributor or advertiser concerned. Accordingly, the publishers, the editorial board and editors and their respective employees, officers and agents accept no responsibility or liability whatsoever for the consequences of any such inaccurate or misleading data, opinion or statement.

PHOTOCOPYING INFORMATION FOR USERS IN THE U.S.A.
The Item-Fee Code for this publication indicates that authorization to photocopy items for internal or personal use is granted by the copyright holder for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service provided the stated fee for copying beyond that permitted by Section 107 or 108 of the United States Copyright Law, is paid. The appropriate remittance of $3.00 per copy per article is paid directly to the Copyright Clearance Center Inc., 27 Congress Street, Salem, MA 01970.

Permission for other use. The copyright owner's consent does not extend to copying for general distribution, for promotion, for creating new works, or for resale. Specific written permission must be obtained from the publisher for such copying.

The Item-Fee Code for this publication is: 0031–9422/91 $3.00 + 0.00

Copyright © 1992 Pergamon Press plc

♾™The paper used in this publication meets the minimum requirements of American National Standard for Information Sciences—Permanence of Paper for Printed Library Materials, ANSI Z39.48-1984.

CONTENTS OF VOLUME 30

Number 1

Instructions to Authors—1991	1	
The Pergamon Phytochemistry Medal and Prize	7	
Announcements	9	
Review Article Number 57 Acetylenes and related compounds in Heliantheae	11	L. P. Christensen and J. Lam
Growth and Metabolism Nitrate reduction and its effect on nitrogen fixation in sliced nodules of pigeon pea	51	V. Sawhney, R. Singh and S. K. Sawhney
The occurrence in plants of the growth inhibitors, the raphanusanins	57	M. Sakoda, K. Hasegawa and K. Ishizuka
Alterations in membrane protein conformation in response to senescence-related changes	63	C. L. Duxbury, R. L. Legge, G. Paliyath, R. F. Barber and J. E. Thompson
Activation and inactivation of NADH nitrate reductase in tobacco XD cells	69	P. M. Trinity and P. Filner
Peroxidases in vacuoles of *Vicia faba* leaves	73	U. Takahama and T. Egashira
Glutathione *S*-cinnamoyl transferases in plants	79	R. Edwards and R. A. Dixon
The effects of sunflower L-phenylalanine ammonia-lyase inactivating factor on *Rhodotorula glutinis* L-phenylalanine ammonia-lyase	85	S. C. Gupta and L. L. Creasy
Involvement of oxalate in the reduction of spinach chloroplast phenolase activity in winter and reactivating agents including γ-irradiation	89	M. Watanabe, A. Hiraoka, M. Masada and M. Sato
Properties of acid invertase purified from peach fruits	95	T. Moriguchi, T. Sanada and S. Yamaki
Inhibition of arginine, ornithine and lysine decarboxylases in pea seedlings	99	H. Birecka, M. Birecki, A. J. Bitonti and P. P. McCann
Endogenous polyamine levels and dark-induced leaf senescence	105	H. Birecka, K. P. Ireton, A. J. Bitonti and P. P. McCann
Adenylate cyclase in roots of *Ricinus communis*; stimulation by GTP and Mn^{2+}	109	P. Lusini, L. Trabalzini, G. G. Franchi, L. Bovalini and P. Martelli
Lipid composition of the toxic marine diatom, *Nitzschia pungens*	113	C. C. Parrish, A. S. W. deFreitas, G. Bodennec, E. J. Macpherson and R. G. Ackman
High contents of homo-α-linolenic acid (20:3 ω3) in gametophores of two mosses	117	R. H. Al-Hasan, W. E. El-Saadawi, F. M. Hantash and S. S. Radwan
Enzyme-catalysed oxidation of non-phenolic aromatic compounds	121	A. Ageorges, A. Pelter and R. S. Ward
Ecological Biochemistry Autolysis of *Thlaspi arvense* in bovine rumen fluid	127	W. Majak, R. E. McDiarmid, M. H. Benn and W. D. Willms
Seiricardine A, a phytotoxic sesquiterpene from three *Seiridium* species pathogenic for cypress	131	A. Ballio, M. A. Castiglione Morelli, A. Evidente, A. Graniti, G. Randazzo and L. Sparapano

^{1}H NMR conformational study of fusicoccin and related compounds: molecular conformation and biological activity	137	A. Ballio, S. Castellano, S. Cerrini, A. Evidente, G. Randazzo and A. L. Segre
Distribution of vitamin E in spruce seedling and mature tree organs, and within the genus	147	J. Franzen, J. Bausch, D. Glatzle and E. Wagner
Ermanin: an insect deterrent flavonoid from *Passiflora foetida* resin	153	F. Echeverri, G. Cardona, F. Torres, C. Pelaez, W. Quiñones and E. Renteria
Isoflavonoids produced by *Iris pseudacorus* leaves treated with cupric chloride	157	F. Hanawa, S. Tahara and J. Mizutani
Transmission of steroidal glycoalkaloids from *Solanum vernei* to the cultivated potato	165	W. M. J. Van Gelder and J. J. C. Scheffer
Biosynthesis		
Biogenesis of betalains: purification and partial characterization of DOPA 4,5-dioxygenase from *Amanita muscaria*	169	P.-A. Girod and J.-P. Zryd
Non-specific elongation–decarboxylation in biosynthesis of *cis*- and *trans*-alkadienes by *Botryococcus braunii*	175	J. Templier, C. Largeau and E. Casadevall
Methyl-branched fatty aldehydes and fatty acids in *Botryococcus braunii*	185	P. Metzger, E. Villarreal-Rosales and E. Casadevall
Enzymatic formation of (2*R*)-hydroxy- and 2-oxo-hexadecanoic acid in *Ulva pertusa* and *Porphyra* sp.	193	T. Kajiwara, M. Kashibe, K. Matsui and A. Hatanaka
Tritium transfer during biosynthesis of cadalene stress compounds in cotton	197	G. D. Davis, E. J. Eisenbraun and M. Essenberg
Chemotaxonomy		
Cell wall polysaccharides of *Pseudodichotomosiphon constrictus* with special reference to its systematics	201	Y. Fukushi-Fujikura, N. Harada, O. Othuru and M. Maeda
Fatty acid composition of *Spirulina* and *Spirulina*-like cyanobacteria in relation to their chemotaxonomy	205	Z. Cohen and A. Vonshak
Distribution of eicosapentaenoic and arachidonic acids in different species of *Gracilaria*	207	S. V. Khotimchenko, V. E. Vaskovsky and V. F. Przhemenetskaya
Diterpenes from *Leyssera gnaphaloides*	211	F. Tsichritzis and J. Jakupovic
Terpenoids and aromatic compounds from selected Ecuadorian liverworts	215	F. Nagashima, E. Nishioka, K. Kameo, C. Nakagawa and Y. Asakawa
Prenyl bibenzyls from the liverwort *Radula kojana*	219	Y. Asakawa, K. Kondo, M. Tori, T. Hashimoto and S. Ogawa
Prenyl bibenzyls from the liverworts *Radula perrottetii* and *Radula complanata*	235	Y. Asakawa, T. Hashimoto, K. Takikawa, M. Tori and S. Ogawa
Plant Chemistry		
Aristolochic acids and aristolactams from *Aristolochia auricularia*	253	P. J. Houghton and M. Ogutveren
Two C_{15} bromoallenes from the red alga *Laurencia obtusa*	255	A. Öztunç, S. Imre, H. Lotter and H. Wagner
Structural features of the sulphated polysaccharide from a green seaweed, *Cladophora socialis*	259	K. Sri Ramana and E. Venkata Rao
Arabinans from *Cajanus cajan* cotyledon	263	N. R. Swamy and P. V. Salimath
Long-chain polyprenols from *Potentilla aurea*	267	E. Świeżewska and T. Chojnacki

Sesquiterpenoids from *Celastrus gemmatus*	271	Y. Q. Tu, D. Z. Wang, H. J. Zhang and L. Zhou
neo-Clerodane diterpenoids from *Teucrium oliverianum*	275	M. Bruno, A. A. Omar, A. Perales, F. Piozzi, B. Rodríguez, G. Savona and M. C. de la Torre
Diterpenoids from *Rabdosia pseudo-irrorata*	283	Y. Li and Y. Chen
ent-14[*S*],16β,17-Trihydroxyatisan-3-one and further constituents from *Euphorbia fidjiana*	287	R. C. Cambie, A. R. Lal, P. S. Rutledge and P. D. Woodgate
Fernane and unusually migrated fernane triterpene-triones from *Euphorbia supina*	293	R. Tanaka and S. Matsunaga
Two pregnane glycosides from *Hemidesmus indicus*	297	K. Prakash, A. Sethi, D. Deepak, A. Khare and M. P. Khare
A cardenolide tetraglycoside from *Oxystelma esculentum*	301	S. Srivastava, A. Khare and M. P. Khare
Cucurbitacins from *Picrorhiza kurrooa*	305	H. Stuppner, E. P. Müller and H. Wagner
Quinic acid esters from *Isertia haenkeana*	311	A. Rumbero-Sanchez and P. Vazquez
A butanolide and phenolics from *Machilus thunbergii*	315	H. Karikome, Y. Mimaki and Y. Sashida
Two bibenzyl derivatives from the orchid *Cirrhopetalum andersonii*	321	P. L. Majumder and M. Basak
Cyclopropanochroman derivatives from the liverwort *Radula javanica*	325	Y. Asakawa, K. Kondo and M. Tori
Roburin A, a dimeric ellagitannin from heartwood of *Quercus robur*	329	C. L. M. Herve du Penhoat, V. M. F. Michon, A. Ohassan, S. Peng, A. Scalbert and D. Gage
Ten 5-methylcoumarins from *Clutia abyssinica*	333	R. D. Waigh, B. M. Zerihun and D. J. Maitland
A-Type proanthocyanidins from stem-bark of *Pavetta owariensis*	337	A. M. Baldé, L. A. Pieters, A. Gergely, H. Kolodziej, M. Claeys and A. J. Vlietinck
Carbazole alkaloids from *Clausena lansium*	343	W.-S. Li, J. D. McChesney and F. S. El-Feraly
Alkaloids from *Mitragyna speciosa*	347	P. J. Houghton, A. Latiff and I. M. Said
Short Reports		
Two sesquiterpene lactones from *Illicium anisatum*	351	I. Kouno, K. Mori, T. Akiyama and M. Hashimoto
Prehispanolone, a labdane diterpene from *Leonurus heterophyllus*	354	P.-M. Hon, C.-M. Lee, H.-S. Shang, Y.-X. Cui, H. N. C. Wong and H.-M. Chang
A furanoid diterpenoid from *Tinospora malabarica*	356	Atta-ur-Rahman, S. Ahmad, M. I. Choudhary and S. Malik
Pygmacone, a phenalenone derivative of diterpenoid origin from *Pygmacopremna herbacea*	359	A. V. B. Sankaram and M. Marthandamurthi
A triterpene from *Garcinia mangostana*	361	M. Parveen, N. Ud-Din Khan, B. Achari and P. K. Dutta
Triterpenoids of the resin of *Bursera delpechiana*	362	K. V. Syamasundar, G. R. Mallavarapu and E. M. Krishna

Castasterone and brassinolide in *Raphanus sativus* seeds 364 J. SCHMIDT, T. YOKOTA, G. ADAM and N. TAKAHASHI

A xanthone from *Calophyllum inophyllum* 366 S. H. GOH and I. JANTAN

Alkaloids from *Veratrum album* 368 ATTA-UR-RAHMAN, R. A. ALI, T. PARVEEN, M. I. CHOUDHARY, B. SENER and S. TURKOZ

4-Hydroxymethyl-quinoline from *Polyporus* species 371 W.-R. ABRAHAM and G. SPASSOV

Book Reviews

Natural Products of Woody Plants I and II: edited by J. W. ROWE 373 D. DONNELLY

Causes and Consequences of Variation in Growth Rate and Productivity of Higher Plants: edited by H. LAMBERS, M. L. CAMBRIDGE, H. KONINGS and T. L. PONS 374 J. D. ROSS

Chemistry and Significance of Condensed Tannins: edited by R. W. HEMINGWAY and J. J. KARCHESY 374 J. B. HARBORNE

Methods in Plant Biochemistry Volume 2 Carbohydrates: edited by P. M. DEY 375 P. FINCH

Molecular and Genetic Aspects of Nitrate Assimilation: edited by J. L. WRAY and J. R. KINGHORN 375 C. B. JOHNSON

Methods in Plant Biochemistry Volume 3 Enzymes of Primary Metabolism: edited by P. J. LEA 376 A. K. TOBIN

Recent Advances in the Chemistry of Insect Control II: edited by L. CROMBIE 376 J. B. HARBORNE

Number 2

Announcements vii

Review Article Number 58

Roles of chorismate mutase, isochorismate synthase and anthranilate synthase in plants 377 C. POULSEN and R. VERPOORTE

Growth and Metabolism

Benzyladenine ribosylglucoside: a metabolite of benzyladenine in *Gerbera jamesonii* 387 D. BLAKESLEY, J. R. LENTON and R. HORGAN

Indole-3-carboxaldehyde in the cabbage *Brassica oleracea*: a systematic determination 389 M. DEVYS and M. BARBIER

Enhancement of chromatin availability and RNA polymerase activity in *Cicer arietinum* shoots by indole acetic acid 393 A. GROVER and H. C. KAPOOR

Modulation of the elicitation response in cultured French bean cells and its implication for the mechanism of signal transduction 397 G. P. BOLWELL, V. COULSON, M. W. RODGERS, D. L. MURPHY and D. JONES

Amino acid and glycine betaine accumulation in cold-stressed wheat seedlings 407 B. P. NAIDU, L. G. PALEG, D. ASPINALL, A. C. JENNINGS and G. P. JONES

Compatible solutes and *in vitro* stability of *Salsola soda* enzymes: proline incompatibility 411 D. NIKOLOPOULOS and Y. MANETAS

The amino acid sequence of ferredoxin from *Hordeum vulgare* 415 I. A.-H. TAKRURI

Effect of lectins on *Ricinus* invertase 419 M. A. VATTUONE, F. E. PRADO, J. E. SAYAGO and A. R. SAMPIETRO

Modulation of potato invertase activity by fructose 423 M. I. ISLA, M. A. VATTUONE and A. R. SAMPIETRO

Dehydroascorbate reductase from potato tubers	427	S. Dipierro and G. Borraccino
Chemical modification of the functional arginine residue(s) of malic enzyme from *Zea mays*	431	S. R. Rao, B. G. Kamath and A. S. Bhagwat
Isolation of a Q-enzyme with *M*, 103 000 from potato tubers	437	A. Blennow and G. Johansson
Purification and characterization of pectin acetylesterase from orange peel	445	G. Williamson
Purification and partial characterization of β-glucosidase from grape	451	M. Lecas, Z. Y. Gunata, J.-C. Sapis and C. L. Bayonove
Effects of nagilactones on the growth of lettuce seedlings	455	I. Kubo, M. Sutisna and K.-S. Tan
Induced formation of dihydrophenanthrenes and bibenzyl synthase upon destruction of orchid mycorrhiza	457	R. Gehlert and H. Kindl
Ecological Biochemistry		
Changes of low-molecular weight substances in *Boea hygroscopica* in response to desiccation and rehydration	461	G. Bianchi, C. Murelli, A. Bochicchio and C. Vazzana
β-(3-isoxazolin-5-on-2-yl)-Alanine from *Pisum*: allelopathic properties and antimycotic bioassay	467	S. U. Schenk and D. Werner
Eutypine, a phytotoxin produced by *Eutypa lata* the causal agent of dying-arm disease of grapevine	471	P. Tey-Rulh, I. Philippe, J.-M. Renaud, G. Tsoupras, P. de Angelis, J. Fallot and R. Tabacchi
Hypericin content variation in *Hypericum perforatum* in Australia	475	I. A. Southwell and M. H. Campbell
Biosynthesis		
Properties and solubilization of the prenyltransferase of isoflavonoid phytoalexin biosynthesis in soybean	479	R. Welle and H. Grisebach
Biosynthesis of (−)-mintlactone and (+)-isomintlactone in *Mentha piperita*	485	A. Akhila, R. Srivastava, K. Rani and R. S. Thakur
Cell Culture and Biotechnology		
Changes in fatty acid and lipid composition in normal and habituated sugar beet calli	491	J. Arbillot, J. Le Saos, J. P. Billard, J. Boucaud and T. Gaspar
p-Hydroxynonanophenone in cell suspension cultures of a *Humulus lupulus* cultivar	495	A. Chandra, C. R. Langezaal and J. J. C. Scheffer
Caffeoyl glucosides in fungal challenged tomato suspension cultures	497	M. A. Bernards, D. Strack, V. Wray and B. E. Ellis
Tannin production in cell suspension cultures of *Geranium thunbergii*	501	K. Yazaki, T. Yoshida and T. Okuda
Emetic alkaloid formation in root culture of *Cephaelis ipecacuanha*	505	K. Yoshimatsu and K. Shimomura
Chemotaxonomy		
A comparative study of mannose-binding lectins from the Amaryllidaceae and Alliaceae	509	E. J. M. Van Damme, I. J. Goldstein and W. J. Peumans
Polyacetylenes from *Dahlia* species	515	J. Lam, L. P. Christensen and T. Thomasen
Sesquiterpene lactones from *Helianthus tuberosus*	519	O. Spring
Sterols of Caryophyllales with emphasis on Amaranthaceae	523	G. W. Patterson, S. Xu and T. A. Salt
Di-*E*-caffeoyl-*meso*-tartaric acid in the barren sprouts of *Equisetum arvense*	527	M. Veit, D. Strack, F.-C. Czygan, V. Wray and L. Witte

Analysis of phenolics of *Populus trichocarpa* bud exudate by GC-MS	531	S. English, W. Greenaway and F. R. Whatley
Plant Chemistry		
An anticoagulant fucoidan from the brown seaweed *Ecklonia kurome*	535	T. Nishino, H. Kiyohara, H. Yamada and T. Nagumo
Aliphatic compounds from *Adenocalymma alliaceum* leaves	541	T. N. Misra, R. S. Singh and H. S. Pandey
Squamocin-28-one and panalicin, two acetogenins from *Uvaria narum*	545	A. Hisham, L. A. C. Pieters, M. Claeys, E. Esmans, R. Dommisse and A. J. Vlietinck
Fragrant components of oil from *Artemisia pallens*	549	L. N. Misra, A. Chandra and R. S. Thakur
Monoterpene glycosides, sesquiterpene lactone glycoside and sesquiterpene lactone aglycones from *Hymenoxys iwesiana*	553	F. Gao, H. Wang, T. J. Mabry and J. Jakupovic
Three sesquiterpenes from agarwood	563	M. Ishihara, T. Tsuneya, M. Shiga and K. Uneyama
Sesquiterpenoids from the liverwort *Porella acutifolia* subsp. *tosana*	567	M. Toyota, A. Ueda and Y. Asakawa
Clerodanes, *seco*-clerodanes, geranyl geraniol derivatives and unusual sesquiterpenes from *Conyza hypoleuca*	575	C. Zdero, F. Bohlmann and G. M. Mungai
Sesquiterpene lactones and other constituents from *Artemisia xerophytica*	583	R. X. Tan, J. Jakupovic, F. Bohlmann, Z. J. Jia and S. Huneck
Diterpenoids from *Calceolaria thyrsiflora*	589	M. C. Chamy, M. Piovano, J. A. Garbarino, C. Miranda, V. Gambaro, M. L. Rodríguez, C. Ruiz-Pérez and I. Brito
Endoperoxide diterpenoids and other constituents from *Abies marocana*	593	A. F. Barrero, J. F. Sanchez, E. J. Alvarez-Manzaneda R., M. M. Dorado and A. Haidour
Labdane diterpenoids from *Stevia seleriana*	599	E. M. Escamilla and A. Ortega
ent-Kaurene diterpenoids from *Rabdosia loxothyrsa*	603	H. Sun, Z. Lin, X. Shen, Y. Takeda and T. Fujita
Clerodanes from *Chrysocoma* species	607	C. Zdero and F. Bohlmann
A diterpene xyloside from *Conyza steudellii*	611	A. A. Ahmed
The absolute stereochemistry of some clerodane diterpenoids isolated from *Teucrium* species	613	A. Lourenço, M. C. de la Torre, B. Rodríguez, M. Bruno, F. Piozzi and G. Savona
Two dinorditerpenoids from *Ricinodendron heudelotii*	619	S. F. Kimbu, F. Keumedjio, L. B. Sondengam and J. D. Connolly
A *nor*-triterpene glycoside from *Isertia haenkeana* and a ^{13}C NMR study of cincholic acid	623	A Rumbero-Sanchez and P. Vazquez
Bellissaponins BA_1 and BA_2, acylated saponins from *Bellis perennis*	627	T. Schöpke, V. Wray, B. Rzazewska and K. Hiller
12-Keto steroidal glycosides from the caudex of *Yucca gloriosa*	633	K. Nakano, Y. Midzuta, Y. Hara, K. Murakami, Y. Takaishi and T. Tomimatsu
Anthraquinones, naphthoquinones and naphthohydroquinones from *Rubia oncotricha*	637	H. Itokawa, Y. Qiao and K. Takeya

Resorcinol derivatives from *Ononis viscosa*	641	A. F. Barrero, J. F. Sánchez, F. Reyes and I. Rodríguez
Kobophenol B, a tetrastilbene from *Carex pumila*	645	J. Kawabata, M. Mishima, H. Kurihara and J. Mizutani
Oligostilbenes from *Carex kobomugi*	649	H. Kurihara, J. Kawabata, S. Ichikawa, M. Mishima and J. Mizutani
Terpene and lignan glycosides from *Pluchea indica*	655	T. Uchiyama, T. Miyase, A. Ueno and K. Usmanghani
Heterogeneous distribution of diarylpropane structures in spruce lignins	659	C. Lapierre, B. Pollet and B. Monties
Tannins from *Hippophae rhamnoides*	663	T. Yoshida, K. Tanaka, X.-M. Chen and T. Okuda
Procyanidin tetramers and pentamers from Douglas fir bark	667	L. Y. Foo and J. J. Karchesy
Acetylated anthocyanins in *Verbena* flowers	671	K. Toki, N. Terahara, N. Saito, T. Honda and T. Shioji
Alkaloid *N*-oxides from *Lycoris sanguinea*	675	S. Kobayashi, K. Satoh, A. Numata, T. Shingu and M. Kihara
Three oxindole alkaloids from *Gelsemium* species	679	L.-Z. Lin, S. Yeh, G. A. Cordell, C.-Z. Ni and J. Clardy
Isolation of steroidal glycoalkaloids from *Solanum incanum* by two countercurrent chromatographic methods	685	K. Fukuhara and I. Kubo
Short Reports		
Sesquiterpenes from *Pluchea arguta*	689	V. U. Ahmad, K. Fizza, M. A. Khan and T. A. Farooqui
Sesquiterpene alcohols of the copane series from essential oil of *Ocium americanum*	691	R. K. Upadhyay, L. N. Misra and G. Singh
Guaianolides and other constituents from *Stevia* species	693	C. Zdero, F. Bohlmann and H. M. Niemeyer
Two diterpenoids from leaves of *Juniperus sabina*	695	A. S. Feliciano, J. M. Miguel Del Corral, M. Gordaliza and M. A. Castro
Tetracyclic triterpenoids from *Trichilia prieuriana* leaves	698	T. A. Olugbade
Brandioside, a phenylpropanoid glycoside from *Brandisia hancei*	701	Z.-D. He and C.-R. Yang
Two polyisoprenylated ketones from *Clusia nemorosa*	703	F. Delle Monache, G. Delle Monache and E. Gács-Baitz
Haematommone, a red pigment from apothecia of *Haematomma puniceum*	706	S. Huneck, C. F. Culberson, W. L. Culberson and J. A. Elix
An anthraquinone and three naphthopyrone derivatives from *Cassia pudibunda*	708	I. Messana, F. Ferrari, M. S. B. Cavalcanti and G. Morace
Gigasol and other coumarins from *Angelica gigas*	710	D. J. Jung, A. Porzel and S. Huneck
Homoisoflavanones and other constituents from *Muscari racemosum*	713	I. Mašterová, V. Suchý, D. Uhrín, K. Ubik, Z. Grančaiová and B. Bobovnický

Dalpaniculin, a *C*-glycosylisoflavone from *Dalbergia paniculata* seeds 715 J. Rajasekhara Rao and R. Srinivasa Rao

Alkaloids and a lignan from *Aristolochia ponticum* 717 P. J. Houghton and M. Ogutveren

Isowilfordine: an alkaloid from *Tripterygium wilfordii* 719 L. Ya, G. M. Strunz and L. A. Calhoun

Book Reviews

Perspectives in Biochemical and Genetic Regulation of Photosynthesis: edited by I. Zelitch, Plant Biology Volume 10 723 L. J. Rogers

Handbook of Natural Products Data, Volume 1, Diterpenoid and Steroidal Alkaloids: by Atta-Ur-Rahman 723 J. B. Harborne

Number 3

Growth and Metabolism

Complete recovery *in vitro* of ethylene-forming enzyme activity 725 P. Ververidis and P. John

Foliar application of elemental sulphur on metabolism of sulphur and nitrogen compounds in leaves of sulphur-deficient wheat 729 J. Landry, S. Legris-Delaporte and F. Ferron

Effects of *N,N'*-bis-(4-trifluoromethylphenyl)-urea on isolated plant mitochondria and thylakoid membranes 733 J.-M. Routaboul, C. Mougin, P. Ravanel, M. Tissut, G. Mrlina and J.-P. Calmon

Proteinaceous inhibitor from *Solanum tuberosum* invertase 739 M. I. Isla, M. A. Vattuone and A. R. Sampietro

Ribulose bisphosphate carboxylases from macroalgae: proteolysis during extraction and properties of the enzyme from *Porphyra umbilicalis* 745 C. M. Hilditch, P. B. Jones, P. Balding, A. J. Smith and L. J. Rogers

Tautomerization of oxaloacetate and inhibition of maize leaf phosphoenolpyruvate carboxylase 751 G. H. Walker and G. E. Edwards

Changes in lipids of tomato fruit stored at chilling and non-chilling temperatures 757 B. D. Whitaker

Lipid composition of chloroplasts from cold-acclimated and non-acclimated *Nothofagus dombeyi* 763 M. A. Lag, L. Meza-Basso, J. Fernández, R. Cristi and M. Romero

Developmental and seasonal variations in the epicuticular waxes of *Tilia tomentosa* leaves 769 P.-G. Gülz, E. Müller and R. B. N. Prasad

Insoluble ellagitannins in *Castanea sativa* and *Quercus petraea* woods 775 S. Peng, A. Scalbert and B. Monties

Biodegradation of the indolic system of gramine in *Hordeum vulgare* 779 A. A. Ghini, G. Burton and E. G. Gros

Ecological Biochemistry

Effect of wheat germ isolectins on development of cowpea weevil 785 J. E. Huesing, L. L. Murdock and R. E. Shade

Trichothecene mycotoxins from Brazilian *Baccharis* species 789 B. B. Jarvis, N. Mokhtari-Rejali, E. P. Schenkel, C. S. Barros and N. I. Matzenbacher

Two phytoalexins from *Allium cepa* bulbs 799 L. Tverskoy, A. Dmitriev, A. Kozlovsky and D. Grodzinsky

Biosynthesis

Enzymes catalysing the reduction of tropinone to tropine and ψ-tropine isolated from the roots of *Datura innoxia* — 801 — M. M. Couladis, J. B. Friesen, M. E. Landgrebe and E. Leete

The bio-transformation of some 6-substituted *ent*-kaur-16-enes by *Gibberella fujikuroi* — 807 — M. Alam, J. R. Hanson and F. Y. Sarah

Biosynthesis of 24-methylene-25-methylcholesterol in *Phaseolus vulgaris* — 811 — J.-L. Giner and C. Djerassi

Carotenoid metabolism and the biosynthesis of abscisic acid — 815 — A. D. Parry and R. Horgan

4-(2′-carboxyphenyl)-4-Oxobutyrate: preparative isolation from anthraquinone producing cell suspension cultures of *Galium mollugo* — 823 — M. Simantiras, K. Schmidt and E. Leistner

Cell Culture and Biotechnology

Tannin production in hairy root culture of *Geranium thunbergii* — 825 — K. Ishimaru and K. Shimomura

Quercetin 3,7,4′-triglucoside formation from quercetin by *Vitis* hybrid cell cultures — 829 — T. Kokubo, M. Nakamura, T. Yamakawa, H. Noguchi and T. Kodama

Cell culture of *Holarrhena antidysenterica*: growth and alkaloid production — 833 — A. K. Panda, V. S. Bisaria, S. Mishra and S. S. Bhojwani

Chemotaxonomy

Phospholipid and fatty acid composition of some lichen species — 837 — V. M. Dembitsky, I. A. Bychek, M. V. Shustov and O. A. Rozentsvet

Differences in fatty acid composition of oils of wild Cruciferae seed — 841 — Z. Yaniv, Y Elber, M. Zur and D. Schafferman

Resin acids of *Pinus ponderosa* needles — 845 — D. F. Zinkel and T. V. Magee

Diterpenoids from the east Malaysian liverwort *Schistochila aligera* — 849 — F. Nagashima, M. Tori and Y. Asakawa

Chemogeographical evolution of quassinoids in Simaroubaceae — 853 — S. M. Simão, E. L. Barreiros, M. F. das G. F. da Silva and O. R. Gottlieb

Plant Chemistry

Cyanohydrin glycosides with unusual sugar residues: revised structure of passitrifasciatin — 867 — E. S. Olafsdottir, J. W. Jaroszewski and D. S. Seigler

Oxygenated cyclohexanes from *Piper* species — 871 — S. C. Taneja, S. K. Koul, P. Pushpangadan, K. L. Dhar, W. M. Daniewski and W. Schilf

Lipid constituents of *Cissus quadrangularis* — 875 — M. M. Gupta and R. K. Verma

Polyacetylenic thiophenes and terpenoids from the roots of *Echinops pappii* — 879 — B. M. Abegaz

Gas chromatography-mass spectrometry of the volatile components of cooked scorzonera — 883 — G. MacLeod and J. M. Ames

Iridoid glucosides from *Rogeria adenophylla* — 889 — O. Potterat, M. Saadou and K. Hostettmann

Highly oxygenated sesquiterpenes from *Polyachyrus sphaerocephalus* and further constituents from Chilean Mutisieae — 893 — P. Pritschow, J. Jakupovic, F. Bohlmann, M. Bittner and H. M. Niemeyer

Eremophilanes and furoeremophilanes from *Euryops jacksonii* and *E. algoensis* — 899 — P. Gonser, J. Jakupovic and G. M. Mungai

Eremophilanolides from *Senecio toluccanus* var. *modestus*	905	A.-L. Pérez, P. Vidales, J. Cárdenas and A. Romo de Vivar
A cyclopropanoheliangolide and guaianolides from *Cronquistia pringlei*	909	C. Zdero, F. Bohlmann and R. M. King
Diterpenes from *Sideritis ferrensis*	913	B. M. Fraga, M. G. Hernández, J. M. H. Santana and J. M. Arteaga
ent-Kaurene diterpenoids from *Rabdosia yuennanensis*	917	Y.-Q. Chen, X.-L. Shi and P.-J. Zheng
Dammarane triterpenoids from *Dysoxylum richii*	921	W. Aalbersberg and Y. Singh
Four triterpenoid saponins from dried roots of *Gypsophila* species	927	D. Frechet, B. Christ, B. M. du Sorbier, H. Fischer and M. Vuilhorgne
Quassinoids from *Picrasma javanica*	933	K. Koike, K. Ishii, K. Mitsunaga and T. Ohmoto
Steroidal and phenolic constituents of *Lilium speciosum*	937	Y. Mimaki and Y. Sashida
Furanonaphthoquinones from two *Lantana* species	941	C. Abeygunawardena, V. Kumar, D. S. Marshall, R. H. Thomson and D. B. M. Wickramaratne
Digiferruginol glycoside from the roots of *Rubia schumanniana*	947	Y.-L. Liu, B.-Z. Chen, Y.-L. Bai, H. Duddeck and M. Hiegemann
Austrovenetin, the principal pigment of the toadstool *Dermocybe austroveneta*	951	M. Gill and A. Giménez
Scammonin III–VI, resin glycosides of *Convolvulus scammonia*	957	H. Kogetsu, N. Noda, T. Kawasaki and K. Miyahara
Nine phenethyl alcohol glycosides from *Stachys sieboldii*	965	H. Nishimura, H. Sasaki, N. Inagaki, M. Chin and H. Mitsuhashi
Isoflaccidinin and isooxoflaccidin, stilbenoids from *Coelogyne flaccida*	971	P. L. Majumder and D. C. Maiti
Two lignans from *Schisandra sphenanthera*	975	Y. Ikeya, K. Sugama, M. Okada and H. Mitsuhashi
Flavan-3-ols and proanthocyanidins from *Cistus incanus*	981	F. Petereit, H. Kolodziej and A. Nahrstedt
8-Hydroxyflavonoid glucuronides from *Malva sylvestris*	987	M. Billeter, B. Meier and O. Sticher
Two flavonol glycosides from seeds of *Camellia sinensis*	991	T. Sekine, J. Arita, A. Yamaguchi, K. Saito, S. Okonogi, N. Morisaki, S. Iwasaki and I. Murakoshi
Spermacoceine, a bis-indole alkaloid from *Borreria verticillata*	997	A. M. Baldé, L. A. Pieters, A. Gergely, V. Wray, M. Claeys and A. J. Vlietinck
Two lupin alkaloids from *Sophora griffithii*	1001	Atta-ur-Rahman, A. Pervin, S. Perveen, H. Nasir and N. Hasan
Alkaloids from *Sarcocapnos enneaphylla*	1005	E. Tojo, D. Dominguez and L. Castedo
Short Reports		
A *nor*-monoterpene from *Artemisia schimperi*	1011	B. M. Abegaz and W. Herz

A gymnomitrane-type sesquiterpenoid from *in vitro* cultures of *Reboulia hemisphaerica*	1013	R. M. S. C. Morais, L. J. Harrison and H. Becker
Dolastane diterpenoids from the brown alga *Dictyota indica*	1015	V. U. Ahmad, S. Parveen, S. Bano, W. Shaikh and M. Shameel
Kansuiphorin-C and -D, cytotoxic diterpenes from *Euphorbia kansui*	1018	D.-J. Pan, C.-Q. Hu, J.-J. Chang, T. T.-Y. Lee, Y.-P. Chen, H.-Y. Hsu, D. R. McPhail, A. T. McPhail, K.-H. Lee
nor-Cucurbitacin glucosides from *Wilbrandia* species	1020	M. E. O. Matos, M. I. L. Machado, A. A. Craveiro, F. J. A. Matos and R. Braz-Filho
Ferulic acid esters from stem bark of *Pavetta owariensis*	1024	A. M. Baldé, M. Claeys, L. A. Pieters, V. Wray and A. J. Vlietinck
A butyrolactone lignan disaccharide from *Flacourtia ramontchi*	1026	V. Satyanarayana, G. L. D. Krupadanam and G. Srimannarayana
Lignans and flavonoids from *Carduus assoi*	1030	I. Fernández, B. Garcia, J. R. Pedro and A. Varea
1,4-Bis-(2,4-dihydroxyphenyl)butanedione from *Gnetum ula*?	1033	M. S. Y. Khan, M. H. Khan, K. Javed and S. Darabu
Metaseol, a symmetrical diphenylmethane from *Metasequoia glyptostroboides*	1034	M. Nakatani, K. Amano, K. Shibata, H. Komura and T. Hase
1,5,7-Trihydroxy-3-methoxyxanthone from *Hoppea fastigiata*	1036	K. S. Mukherjee, C. K. Chakraborty, T. P. Chatterjee, D. Bhattacharjee and S. Laha
A xanthone from *Swertia chirayita*	1037	R. K. Asthana, N. K. Sharma, D. K. Kulshreshtha and S. K. Chatterjee
5-Hydroxy-3,6,7,2′,5′-pentamethoxyflavone from *Inula grantioides*	1040	V. U. Ahmad and N. Ismail
Kaempferol 3-(6″-*cis*-cinnamoylglucoside) from *Solanum elaeagnifolium*	1042	C. A. Chiale, J. L. Cabrera and H. R. Juliani
6-Hydroxyflavonol glycosides from *Chrysactinia mexicana*	1044	J. B. Harborne, J. Greenham, J. Eagles and E. Wollenweber
Isoharmine, a β-carboline alkaloid from *Peganum harmala* seeds	1046	M. T. Ayoub and L. J. Rashan
Murrayamine-A, -B, -C and (+)-mahanine, carbazole alkaloids from *Murraya euchrestifolia*	1048	T.-S. Wu
Binary carbazole alkaloids from *Murraya euchrestifolia*	1052	T.-S. Wu, M.-L. Wang, J.-S. Lai, C. Ito and H. Furukawa

Number 4

Review Article Number 59 The biochemical basis for the deleterious effects of L-canavanine	1055	G. A. Rosenthal
Growth and Metabolism Abscisic acid in saprophytic and parasitic species of fungi	1059	C. Crocoll, J. Kettner and K. Dörffling

Dissociation of cytochrome oxidase-carbon monoxide complex in complete darkness	1061	R. M. Naik, S. V. Munjal, P. Singh, B. B. Desai, S. L. Mehta and M. S. Naik
Purification and properties of oxalate oxidase from *Sorghum* leaves	1065	C. S. Pundir
Tributyroylglycerol hydrolase activity in *Carica papaya* and other latices	1069	R. Giordani, A. Moulin and R. Verger
Lipase activity in ripening and mature fruit of the oil palm. Stability *in vivo* and *in vitro*	1073	J. Henderson and D. J. Osborne
Affinity purification and kinetics of pea cotyledon starch phosphorylases	1079	D. K. Myers and N. K. Matheson
Separation of putrescine and spermidine hydroxycinnamoyl transferases extracted from tobacco callus	1089	J. Negrel, F. Javelle and M. Paynot
Water stress on proline content and enzyme activities in barley seedlings	1093	V. Argandona and E. Pahlich
Deuterium heterogeneity in starch and cellulose nitrate of CAM and C_3 plants	1095	Y. Luo and L. Sternberg
Metabolism of tocopherol by *Pisum sativum*	1099	D. J. Hardy, M. A. V. Gallegos and J. K. Gaunt
Diurnal changes in the incorporation of [U-^{14}C]tyrosine into tocopherols and plastoquinone in leaves of *Xanthium strumarium*	1107	J. Molina Torres, D. L. Laidman and J. K. Gaunt
Effect of DOPA feeding on betaxanthins in various species of Centrospermae	1109	E. Rink and H. Böhm
Ecological Biochemistry		
Antifungal antibiotics from *Pisolithus tinctorius*	1113	Y. S. Tsantrizos, H. H. Kope, J. A. Fortin and K. K. Ogilvie
Antimicrobial compound from *Cercidiphyllum japonicum*	1119	M. Tada and K. Sakurai
Ichthyotoxic sesquiterpenes and xanthanolides from *Dittrichia graveolens*	1121	R. Lanzetta, G. Lama, G. Mauriello, M. Parrilli, R. Racioppi and G. Sodano
Antifungal activity of *neo*-clerodane diterpenoids from *Scutellaria*	1125	M. D. Cole, P. D. Bridge, J. E. Dellar, L. E. Fellows, M. C. Cornish and J. C. Anderson
Antiviral ellagitannins from *Spondias mombin*	1129	J. Corthout, L. A. Pieters, M. Claeys, D. A. Vanden Berghe and A. J. Vlietinck
3′-Formyl-2′,4′,6′-trihydroxydihydrochalcone from *Psidium acutangulum*	1131	D. H. Miles, J. M. R. de Medeiros, V. Chittawong, P. A. Hedin, C. Swithenbank and Z. Lidert
Phytoalexin aurone induced in *Cephalocereus senilis* liquid suspension culture	1133	P. W. Paré, N. Dmitrieva and T. J. Mabry
Chromenes from *Ageratum conyzoides*	1137	A. G. González, Z. E. Aguiar, T. A. Grillo, J. G. Luis, A. Rivera and J. Calle
Cell Culture and Biotechnology		
Immunologically active polysaccharides of *Arnica montana* cell cultures	1141	J. Puhlmann, M. H. Zenk and H. Wagner
Biotransformation of terpene aldehydes by *Euglena gracilis* Z	1147	Y. Noma, H. Takahashi and Y. Asakawa
Indole alkaloids in hairy roots of *Amsonia elliptica*	1153	M. Sauerwein, K. Ishimaru and K. Shimomura

Chemotaxonomy

Thiophene derivatives from *Echinops* species 1157 J. Lam, L. P. Christensen and T. Thomasen

Chemotaxonomy of *Athanasia* and related genera 1161 C. Zdero, L. Lehmann and F. Bohlmann

Distribution and characterization of diglycosyldiacylglycerol isomers with different anomeric configuration in higher plants 1165 M. Kojima, H. Kimura, M. Ohnishi, Y. Fujino and S. Ito

Flavonoid constituents of *Stachys aegyptiaca* 1169 M. A. El-Ansari, D. Barron, M. F. Abdalla, N. A. M. Saleh and J. L. Le Quéré

Alkaloids from Spanish *Sarcocapnos* species 1175 S. López, E. Tojo, O. Blanco, M. C. Villaverde and L. Castedo

Plant Chemistry

Structural features of the sulphated polysaccharide from a green seaweed, *Spongomorpha indica* 1183 E. Venkata Rao, N. V. S. A. V. Prasada Rao and K. Sri Ramana

Eicosanoids and other hydroxylated fatty acids from the marine alga *Gracilariopsis lemaneiformis* 1187 Z. D. Jiang and W. H. Gerwick

Four secoiridoid glucosides from *Jasminum mesnyi* 1191 K. Inoue, T. Fujita, H. Inouye, H. Kuwajima, K. Takaishi, T. Tanahashi, N. Nagakura, Y. Asaka, T. Kamikawa and T. Shingu

Terpene diols and terpene diol glucosides from roots of *Urtica dioica* 1203 R. Kraus and G. Spiteller

Daucanes and other constituents from *Ferula sinaica* 1207 A. A. Ahmed

Eremophilane, germacrane and shikimic acid derivatives from Chilean *Senecio* species 1211 S. Dupré, M. Grenz, J. Jakupovic, F. Bohlmann and H. M. Niemeyer

Seco ring-A triterpene acids from the resin of *Dacryodes normandii* 1221 I. C. Parsons, A. I. Gray, C. Lavaud, G. Massiot and P. G. Waterman

Triterpenes from *Cedrela odorata* 1225 A. M. Campos, F. S. Oliveira, M. I. L. Machado, R. Braz-Filho and F. J. A. Matos

Tirucallane derivatives from *Paramignya monophylla* fruits 1231 V. Kumar, N. M. M. Niyaz, D. B. M. Wickramaratne and S. Balasubramaniam

Pentacyclic triterpenes from the fungus, *Leptosphaeria maculans* 1235 J. S. Dahiya

Steroidal derivatives from the roots of *Mandevilla pentlandiana* 1239 G. Cabrera, J. A. Palermo, A. M. Seldes, E. G. Gros and J. C. Oberti

Six prenylated phenols from *Glycyrrhiza uralensis* 1245 T. Fukai, Q.-H. Wang and T. Nomura

Allose gallates from *Euphorbia fischeriana* 1251 S.-H. Lee, T. Tanaka, G. Nonaka, I. Nishioka and B. Zhang

Structure and conformational analysis of a procyanidin 3-*O*-rhamnoside from *Erythroxylum novogranatense* 1255 H. Kolodziej, M. Bonefeld, J. F. W. Burger, E. V. Brandt and D. Ferreira

Procyanidin dimers and trimers from grape seeds 1259 J. M. R. da Silva, J. Rigaud, V. Cheynier, A. Cheminat and M. Moutounet

Alkaloids, flavonoids and phenylpropanoids of the West African plant *Oxymitra velutina*	1265	H. Achenbach and H. Hemrich
Methoxyflavones from *Ageratum conyzoides*	1269	A. G. González, Z. E. Aguiar, T. A. Grillo, J. G. Luis, A. Rivera and J. Calle
Isoflavones, a sesquiterpene lactone-monoterpene adduct and other constituents of *Gaillardia* species	1273	W. Herz, K. D. Pethtel and D. Raulais
Isoflavonoids from the roots of *Salsola somalensis*	1281	B. M. Abegaz and Y. Woldu
Alkaloids from *Rhazya stricta*	1285	Atta-ur-Rahman, K. Zaman, S. Perveen, Habib-ur-Rehman, A. Muzaffar, M. I. Choudhary and A. Pervin
Steroidal alkaloids from leaves of *Buxus sempervirens*	1295	Atta-ur-Rahman, D. Ahmed, E. Asif, S. A. Jamal, M. I. Choudhary, B. Sener and S. Turkoz
(23*S*)-23-Hydroxysolasodine from two *Solanum* species	1299	H. Ripperger and A. Porzel
Pyrrolizidine alkaloids from *Senecio argunensis*	1303	K. Liu and E. Röder
Atrop-diastereomer separation by racemate resolution techniques: *N*-methyl-dioncophylline A and its 7-epimer from *Ancistrocladus abbreviatus*	1307	G. Bringmann, D. Lisch, H. Reuscher, L. A. Assi and K. Günther
Oxindole alkaloids from *Gelsemium elegans*	1311	L.-Z. Lin, G. A. Cordell, C.-Z. Ni and J. Clardy
Short Reports		
Majoroside, an iridoid glucoside from *Plantago major*	1317	N. Handjieva, S. Spassov, G. Bodurova, H. Saadi, S. Popov, O. Pureb and J. Zamjansan
Sesquiterpene lactones and furanocoumarins from *Cicerbita alpina*	1319	G. Appendino, P. Tettamanzi and P. Gariboldi
Sesquiterpene polyol esters from *Celastrus rosthornianus*	1321	Tu Yongqiang
Integrifolian-1,5-dione and a revised structure for 'africanone', biogenetically related sesquiterpene ketones from *Lippia integrifolia*	1323	C. A. N. Catalán, I. J. S. de Fenik, G. H. Dartayet and E. G. Gros
2(3),8(9)-Bisanhydrolactarorufin A and a highly oxygenated furanol from *Lactarius vellereus*	1326	W. M. Daniewski, M. Gumułka, P. Skibicki, J. Krajewski and P. Głuziński
Diterpenes from *Diplostephium meyenii*	1329	M. Bittner, A. Schuster and J. Jakupovic
Terpenoids from *Pentatropis spiralis*	1331	N. Rasool, V. U. Ahmad and A. Malik
Serratene triterpenes from *Pinus armandii* bark	1333	J.-M. Fang, W.-Y. Tsai and Y.-S. Cheng
Agaveside C, a steroidal glycoside from *Agave cantala*	1336	G. C. Uniyal, P. K. Agrawal, O. P. Sati and R. S. Thakur
Chlorogenone and neochlorogenone from the unripe fruits of *Solanum torvum*	1339	A. Carabot Cuervo, G. Blunden and A. V. Patel
Phenylpropanoid and iridoid glycosides from *Pedicularis striata*	1341	Liu Zimin and Jia Zhongjian
Quercetin 3′-sulphate from *Hypericum elodes*	1344	R. M. Seabra and A. C. Alves
8,3′-Dimethoxy-5,4′-dihydroxyflavone 7-glucoside from *Setaria italica*	1345	N. Jain, M. Ahmad, M. Kamil and M. Ilyas

Halenia elliptica xanthone: a structural revision 1347 G. J. Bennett and H.-H. Lee

Cyclopeptide alkaloids from *Zizyphus spina-christi* 1348 F. M. Abdel-Galil and M. A. El-Jissry

Cohirsinine, an alkaloid from *Cocculus hirsutus* 1350 V. U. Ahmad, T. Rasheed and S. Iqbal

3-*epi*-β-Yohimbine from roots of *Rauwolfia linearifolia* 1352 J. A. Martinez Pèrez, C. Gòmez Gonzàlez, M. E. Sosa Rodríguez and L. T. Noda Llerena

Book Reviews
Short Book Reviews 1355 J. B. Harborne

Number 5

Review Article Number 60
Triterpenoid saponins discovered between 1987 and 1989 1357 S. B. Mahato and A. K. Nandy

Growth and Metabolism
Auxin effects on proton accumulation by reconstituted plasma membrane H^+-ATPase 1391 W. Szponarski, G. Vansuyt and M. Rossignol

Ascorbic acid utilization by prolyl hydroxylase *in vivo* 1397 L. De Gara, F. Tommasi, R. Liso and O. Arrigoni

Demonstration of an ATP-dependent proteolysis in etiolated pea extracts 1401 M. Nakazawa, S. Satoh and T. Fujii

Synthesis, biological activity and metabolism of *N*-hydroxytryptophan 1405 R. Rajagopal, I. Møller and C. E. Olsen

Purification and characterization of glutathione *S*-transferase from sugarcane leaves 1409 S. S. Singhal, N. K. Tiwari, H. Ahmad, S. K. Srivastava and Y. C. Awasthi

Thiol composition of xylem sap of beech trees 1415 R. Schupp, V. Glavac and H. Rennenberg

Fungal enzymic activity degrading 1,4-α-D-glucans to echinosporin (5-epipentenomycin I) 1419 M.-A. Baute, G. Deffieux, R. Baute, A. Badoc, J. Vercauteren, J.-M. Léger and A. Neveu

Water-soluble polysaccharides from the root of *Pinus densiflora* 1425 T. Watanabe, K. Inaba, A. Nakai, T. Mitsunaga, J. Ohnishi and T. Koshijima

Enzymatic and inhibitory activities of cashew tree gum exudate 1431 M. R. Marques and J. Xavier-Filho

Potato tuber-inducing activities of jasmonic acid and related compounds 1435 Y. Koda, Y. Kikuta, H. Tazaki, Y. Tsujino, S. Sakamura and T. Yoshihara

Botryococcoid ethers, ether lipids from *Botryococcus braunii* 1439 P. Metzger and E. Casadevall

Thiocarbamate herbicides inhibit fatty acid elongation in a variety of monocotyledons 1445 K. O. Abulnaja and J. L. Harwood

Degradation of 17α-*O*-methylyohimbine in *Amsonia elliptica* roots 1449 M. Sauerwein and K. Shimomura

Growth-related dimerization of vindoline and catharanthine in *Catharanthus roseus* and effect of wounding on the process 1451 T. Naaranlahti, S. Auriola and S. P. Lapinjoki

Ecological Biochemistry

Composition of essential oil of tall fescue — 1455 — A. Tava, N. Berardo and M. Odoardi

Induction of indirect defence against spider-mites in uninfested Lima bean leaves — 1459 — J. Takabayashi, M. Dicke and M. A. Posthumus

A phytotoxic eremophilane ether from *Hypomyces odoratus* — 1463 — B. Kühne, H.-P. Hanssen, W.-R. Abraham and V. Wray

An antifungal norditerpene dilactone from *Podocarpus nagi* — 1467 — I. Kubo, M. Himejima and B.-P. Ying

Phytotoxins produced by *Pestalotiopsis oenotherae*, a pathogen of evening primose — 1471 — P. Venkatasubbaiah, C. G. Van Dyke and W. S. Chilton

Prunasin and acetylated phenylpropanoic acid sucrose esters, bitter principles from the fruits of *Prunus jamasakura* and *P. maximowiczii* — 1475 — N. Shimazaki, Y. Mimaki and Y. Sashida

Induced isoflavonoids from copper chloride-treated stems of *Pueraria lobata* — 1481 — T. Hakamatsuka, Y. Ebizuka and U. Sankawa

Biosynthesis

Synthesis of stably deuteriated abscisic acid, phaseic acid and related compounds — 1483 — R. D. Willows, A. G. Netting and B. V. Milborrow

Biosynthesis of limonoid glucosides in navel orange — 1487 — Z. Herman, C. H. Fong and S. Hasegawa

Matairesinol as precursor of *Podophyllum* lignans — 1489 — A. J. Broomhead, M. M. A. Rahman, P. M. Dewick, D. E. Jackson and J. A. Lucas

Quinolizidine alkaloids and the enzymatic syntheses of their cinnamic and hydroxycinnamic acid esters in *Lupinus angustifolius* and *L. luteus* — 1493 — D. Strack, A. Becher, S. Brall and L. Witte

Cell Culture and Biotechnology

Purification and properties of lipoxygenase in *Marchantia polymorpha* cultured cells — 1499 — K. Matsui, H. Narahara, T. Kajiwara and A. Hatanaka

Biotransformation of digitoxigenin by cell suspension cultures of *Strophanthus divaricatus* — 1503 — K. Kawaguchi, M. Hirotani and T. Furuya

Anthraquinone production by transformed root cultures of *Rubia tinctorum*: influence of phytohormones and sucrose concentration — 1507 — K. Sato, T. Yamazaki, E. Okuyama, K. Yoshihira and K. Shimomura

Biotransformation of *Podophyllum* lignans in cell suspension cultures of *Forsythia intermedia* — 1511 — A. J. Broomhead and P. M. Dewick

Chemotaxonomy

Flavonoid 5-glucosides from *Prunus cerasus* bark and their characteristic weak glycosidic bonding — 1519 — M. Geibel and W. Feucht

Bis(bibenzyl) ethers from *Pellia endiviifolia* — 1523 — T. Hashimoto, H. Suzuki, M. Tori and Y. Asakawa

Hydroxamic acid content of perennial Triticeae — 1531 — S. V. Copaja, B. N. Barria and H. M. Niemeyer

Plant Chemistry

Isolation of a yellow carotenoprotein from carrot — 1535 — J. C. G. Milicua, J. L. Juarros, J. De Las Rivas, J. Ibarrondo and R. Gomez

Polyolefinic compounds from *Cirsium nipponicum* roots — 1539 — Y. Takaishi, T. Okuyama, K. Nakano, K. Murakami, T. Tomimatsu and J. Yamahara

Polyacetylenes from roots of *Bupleurum falcatum*	1543	M. Morita, K. Nakajima, Y. Ikeya and H. Mitsuhashi
Dihydroagarofuran sesquiterpenoids from *Celastrus paniculatus*	1547	Sang Hong, Wang Hanqing, Tu Yongqiang and Chen Yaozu
Oxygenated sesquiterpenes from the wood of *Juniperus oxycedrus*	1551	A. F. Barrero, J. F. Sánchez, J. E. Oltra, J. Altarejos, N. Ferrol and A. Barragán
Cryptoporic acids H and I, drimane sesquiterpenes from *Ganoderma neo-japonicum* and *Cryptoporus volvatus*	1555	M. Hirotani, T. Furuya and M. Shiro
Sesquiterpene esters from *Tripterygium wilfordii*	1561	Y. Takaishi, K. Tokura, H. Noguchi, K. Nakano, K. Murakami and T. Tomimatsu
Sesquiterpene polyol esters from *Tripterygium wilfordii* var. *regelii*	1567	Y. Takaishi, K. Tokura, S. Tamai, K. Ujita, K. Nakano and T. Tomimatsu
Sesquiterpene lactones from *Artemisia ludoviciana*	1573	J. Jakupovic, R. X. Tan, F. Bohlmann, P. E. Boldt and Z. J. Jia
Sesquiterpene lactones and other constituents from *Siegesbeckia orientalis* and *Guizotia scabra*	1579	C. Zdero, F. Bohlmann, R. M. King and H. Robinson
Pseudoguaianolides and other constituents from *Hymenoxys linearifolium*	1585	C. Zdero, F. Bohlmann and P. E. Boldt
Guaianolides and labdanes from *Brickellia* species	1591	C. Zdero, F. Bohlmann and R. M. King
An unusual dimeric sesquiterpene and other constituents from Chilean *Baccharis* species	1597	C. Zdero, F. Bohlmann and H. M. Niemeyer
Teucrolivins D–F, *neo*-clerodane derivatives from *Teucrium oliverianum*	1603	M. C. de la Torre, M. Bruno, F. Piozzi, G. Savona, B. Rodríguez and A. A. Omar
Diterpenoids from *Baccharis lejia*	1607	C. Labbe, M. Castillo and M. Hernandez
Brevifoliol, a taxane from *Taxus brevifolia*	1613	F. Balza, S. Tachibana, H. Barrios and G. H. N. Towers
Terpenoids from fruit coatings of *Azadirachta indica*	1615	S. Siddiqui, B. S. Siddiqui, Ghiasuddin and S. Faizi
Seco-ring-A-triterpenoids from the rootwood of *Musanga cecropioides*	1621	D. Lontsi, B. L. Sondengam, M. T. Martin and B. Bodo
3,4-*seco*-Triterpenoid acids and other constituents of the leaf wax of *Hoya naumanii*	1625	W. J. Baas and I. E. M. van Berkel
Four major saponins from *Solidago canadensis*	1629	G. Reznicek, J. Jurenitsch, M. Plasun, S. Korhammer, E. Haslinger, K. Hiller and W. Kubelka
Quinovic acid glycosides from *Uncaria guianensis*	1635	A. M. Yépez P., O. Lock de Ugaz, C. M. Alvarez A., V. De Feo, R. Aquino, F. De Simone and C. Pizza
Norcarotenoid glycosides of *Rehmannia glutinosa* var. *purpurea*	1639	H. Sasaki, H. Nishimura, T. Morota, T. Katsuhara, M. Chin and H. Mitsuhashi
Prenylated coumaric acid derivatives from *Artemisia* cf. *dolosa*	1645	J. Jakupovic, R. X. Tan, F. Bohlmann, Z. J. Jia and S. Huneck

Three neolignans from the roots of *Piper capense*	1649	T. P. Green, D. L. Galinis and D. F. Wiemer
Bartramiaflavone, a macrocyclic biflavonoid from the moss *Bartramia pomiformis*	1653	T. Seeger, H. Geiger and H. D. Zinsmeister
Cacao procyanidins: major flavanoids and identification of some minor metabolites	1657	L. J. Porter, Z. Ma and B. G. Chan
(+)- and (−)-Androyol and 6-*C*-methylandroyol, dihydrostilbeno-flavonoids from *Alluaudia dumosa*	1665	R. Rasamoelisendra, B. Voirin, J. Favre-Bonvin, Z. Rabesa and M. Andriantsiferana
Prenylflavonoids and a pyranodihydrobenzoxanthone from *Artocarpus communis*	1669	C.-N. Lin and W.-L. Shieh
Glycosides and acylated glycosides of isoetin from European species of *Hypochoeris*	1673	K. Gluchoff-Fiasson, J. Favre-Bonvin and J. L. Fiasson
Revised structures for three isoetin glycosides, yellow flower pigments in *Heywoodiella oligocephala*	1677	J. B. Harborne
Six flavonol glucuronides from *Tulipa gesneriana*	1679	J. Budzianowski
^{1}H NMR chemical shift value of the isoflavone 5-hydroxyl proton as a convenient indicator of 6-substitution or 2′-hydroxylation	1683	S. Tahara, J. L. Ingham, F. Hanawa and J. Mizutani
Dioncopeltine A and dioncolactone A: alkaloids from *Triphyophyllum peltatum*	1691	G. Bringmann, M. Rübenacker, P. Vogt, H. Busse, L. A. Assi, K. Peters and H. G. von Schnering
Matadine, a cytotoxic alkaloid from *Strychnos gossweileri*	1697	J. Quetin-Leclercq, P. Coucke, C. Delaude, R. Warin, R. Bassleer and L. Angenot
Conformation and stereochemistry of *N*-methyltiliamosine and tiliaresine	1701	A. K. Ray, G. Mukhopadhyay, S. K. Mitra, B. Mukherjee, A. Nelofar and Atta-ur-Rahman
Pyrrolizidine alkaloids of *Heliotropium spathulatum*	1703	E. Roeder, E. Breitmaier, H. Birecka, M. W. Frohlich and A. Badzies-Crombach

Short Reports

Homogeneous guluronic and mannuronic acid blocks in the alginate of the brown seaweed *Laminaria brasiliensis*	1707	M. E. R. Duarte, P. A. J. Gorin and J. H. Duarte
Demethylacrovestone from *Achronychia pedunculata* fruits	1709	L. B. de Silva, W. M. Herath, C. Liyanage, V. Kumar, V. U. Ahmad and A. Sultana
6-Methoxygeniposidic acid, an iridoid glycoside from *Rubia cordifolia*	1710	L.-J. Wu, S.-X. Wang, H.-M. Hua, X. Li, T.-R. Zhu, T. Miyase and A. Ueno
Kaurene derivatives from *Lasianthea fruticosa*, revision of stereochemistry of related compounds	1712	M. Ahmed, J. Jakupovic and V. Castro
Sesquiterpene lactones from *Artemisia rutifolia*	1714	J. Jakupovic, R. X. Tan, F. Bohlmann, Z. J. Jia and S. Huneck
Eremophilanolides from *Roldana sessilifolia*	1716	G. Delgado, P. E. García, R. A. Bye and E. Linares
Stemodane diterpenoids from *Stemodia chilensis*	1719	M. C. Chamy, M. Piovano, J. A. Garbarino and V. Gambaro
A *neo*-clerodane diterpenoid from *Teucrium bidentatum*	1721	Sun Handong, Chen Xingliang, Wang Tianen, Pan Lutai, Lin Zhongwen and Chen Deyuan

A steroidal sapogenin from *Helleborus multifidus* subsp. *serbicus* 1724 S. M. Vladimirov, D. S. Živanov-Stakić and B. J. Ribar

Naphthoquinoid pigments from *Pentas longiflora* 1726 L. Hari, L. F. De Buyck and H. L. De Pooter

Ionone and bibenzyl glycosides from *Epimedium grandiflorum* var. *thunbergianum* 1727 T. Miyase and A. Ueno

Petunia hybrida anthocyanins acylated with caffeic acid 1729 R. J. Griesbach, S. Asen and B. A. Leonnarat

A trifolirhizin malonate from *Sophora flavescens* var. *angustifolia* and its stability 1732 H. Yamamoto, M. Ichimura, T. Tanaka, M. Iinuma and M. Mizuno

Pyrrolizidine alkaloids from *Senecio integrifolius* var. *fauriri* 1734 E. Roeder and K. Liu

Macrocyclic pyrrolizidine alkaloids from *Parsonsia laevigata* 1737 F. Abe, T. Nagao, H. Okabe and T. Yamauchi

Indole alkaloids from *Tabernaemontana divaricata* 1740 L. S. R. Arambewela and T. Ranatunge

Crooksiine, a bisindole alkaloid from *Haplophyton crooksii* 1741 M. Mroue and M. Alam

Book Reviews

Plant Molecular Systematics: Macromolecular Approaches: by D. J. Crawford 1745 J. B. Harborne

Biochemistry of Cell Walls and Membranes in Fungi: edited by P. J. Kuhn, A. P. J. Trinci, M. J. Jung, M. W. Goosey and L. G. Copping 1745 J. B. Harborne

Countercurrent Chromatography: Apparatus, Theory and Applications: by W. D. Conway 1745 A. Marston

Number 6

Announcement

Phytochemical Society of Europe Awards 1747

Growth and Metabolism

Application of a nuclease from rye nucleus for structural studies of plant ribonucleic acids 1749 A. Przykorska, M. Nalaskowska, E. Kuligowska, J. W. Szarkowski and J. Barciszewski

Polygalacturonase in tree pollens 1753 R. Pressey

Geranyl diphosphate synthase in leaves of *Pelargonium roseum* 1757 T. Suga and T. Endo

Partial purification and characterization of floridoside phosphate synthase from *Porphyra perforata* 1763 J. Meng and L. M. Srivastava

Partial purification and some properties of a ring B-*O*-glucosyltransferase from onion bulbs 1767 L. Latchinian-Sadek and R. K. Ibrahim

Flavonol glucosyltransferase from Norway spruce needles 1773 J. Heilemann and D. Strack

Ripening and cell wall synthesis in normal and mutant tomato fruit 1777 E. J. Mitcham, K. C. Gross and T. J Ng

Polyunsaturated fatty acid metabolism in the marine dinoflagellate *Crypthecodinium cohnii* 1781 R. J. Henderson and E. E. Mackinlay

Gibberellins in suspensor, embryo and endosperm of developing seeds of *Cytisus laburnum* 1789 P. Picciarelli, A. Piaggesi and A. Alpi

Ecological Biochemistry

Effects of NaCl on glycine-betaine and on aphids in cereal seedlings 1793 F. Araya, O. Abarca, G. E. Zúñiga and L. J. Corcuera

Grayanoid diterpene insect antifeedants and insecticides from *Rhododendron molle* 1797 J. A. Klocke, M.-Y. Hu, S.-F. Chiu and I. Kubo

An insecticidal diterpene from *Croton linearis* 1801 I. C. Alexander, K. O. Pascoe, P. Manchard and L. A. D. Williams

Dictyopterenes from three Japanese brown algae 1805 T. Kajiwara, A. Hatanaka, K. Kodama, S. Ochi and T. Fujimura

Biosynthesis

Biosynthetic pathway to rhizobitoxine in *Pseudomonas andropogonis* 1809 R. E. Mitchell and J. M. Coddington

N-Methylation in the biosynthesis of the phytotoxin tentoxin 1815 B. Liebermann and K. Ramm

Biosynthesis and accumulation of saponins in *Gypsophila paniculata* 1819 M. Henry, M. Rochd and B. Bennini

Comparison of enzyme activities involved in the biosynthesis of carrot phytoalexin 6-methoxymellein 1823 F. Kurosaki and A. Nishi

Occurrence of a glucosyltransferase specific for solanidine in potato plants 1827 J. Zimowski

Biosynthesis of quinolizidine alkaloids in lupine species 1833 A. Chaudhuri and W. J. Keller

Cell Culture and Biotechnology

Effects of culture conditions on accumulation of arachidonic and eicosapentaenoic acids in cultured cells of *Rhytidiadelphus squarrosus* and *Eurhynchium striatum* 1837 C. E. Hansen and P. Rossi

Triglucosylation on the biotransformation of (+)-menthol by cultured cells of *Eucalyptus perriniana* 1843 Y. Orihara, H. Miyatake and T. Furuya

Grindelane derivatives by microbial transformation 1847 A. J. Aladesanmi and J. J. Hoffmann

Metabolites from *in vitro* cultures of *Cassia didymobotrya* 1849 G. Delle Monache, M. C. De Rosa, R. Scurria, B. Monacelli, G. Pasqua, G. Dall'Olio and B. Botta

Chemotaxonomy

Fatty acids from microalgae of the genus *Pavlova* 1855 J. K. Volkman, G. A. Dunstan, S. W. Jeffrey and P. S. Kearney

Sesquiterpene lactones and benzofurans in glandular trichomes of three *Pappobolus* species 1861 O. Spring, D. Vargas and N. H. Fischer

Diterpenic adducts from *Xylopia* species 1869 W. Vilegas, J. D'Arc Felicio, N. F. Roque and H. E. Gottlieb

Distribution of sinapine and related compounds in seeds of *Brassica* and allied genera 1873 A. Bouchereau, J. Hamelin, I. Lamour, M. Renard and F. Larher

Analysis of phenolics of bud exudate of *Populus euphratica* by GC-MS 1883 W. Greenaway, I. Gümüsdere and F. R. Whatley

Analysis of phenolics of bud exudates of *Populus ciliata by* GC-MS 1887 W. Greenaway and F. R. Whatley

Alkaloids of *Virgilia divaricata* and *V. oroboides* 1891 G. Veen, R. Greinwald, L. Witte, V. Wray and F.-C. Czygan

Plant Chemistry

Two betalains from *Portulaca grandiflora*	1897	G. F. Trezzini and J.-P. Zrÿd
Characterization of some natural and semi-synthetic betaxanthins	1901	G. F. Trezzini and J.-P. Zrÿd
Absolute configurations of 9,10-epoxydodecanoic acids biosynthesized by microsomes from Jerusalem artichoke tubers	1905	P. Fahlstadius
Cucurbic acid and its 6,7-stereoisomers	1909	W. Dathe, C. Schindler, G. Schneider, J. Schmidt, A. Porzel, E. Jensen and I. Yamaguchi
Volatile compounds of *Sargentia gregii*	1915	L. Sánchez, M. Albores-Velasco and F. del Rio
Iridoid diglycoside monoacyl esters from stems of *Premna japonica*	1917	H. Otsuka, N. Kubo, Y. Sasaki, K. Yamasaki, Y. Takeda and T. Seki
Brasilane-type sesquiterpenoids from the Mediterranean red alga *Laurencia obtusa*	1921	V. Amico, S. Caccamese, P. Neri, G. Russo and M. Foti
Melampolides and other constituents from *Jurinea leptoloba*	1929	A. Rustaiyan, M. Saberi, Z. Habibi and J. Jakupovic
Guaianolides and germacranolides from *Stevia grisebachiana*	1933	E. E. Sigstad, C. A. N. Catalán, A. B. Gutiérrez, J. G. Díaz, V. L. Goedken and W. Herz
seco- and *nor*-Sesquiterpene lactones with a new carbon skeleton from *Artemisia santolinifolia*	1941	J. Jakupovic, R. X. Tan, F. Bohlmann, Z. J. Jia and S. Huneck
Acyclic diterpenes and sesquiterpene lactones from *Montanoa tomentosa* subsp. *tomentosa*	1947	L. Quijano, F. Gómez-G., E. Sierra-R. and T. Rios
Complete ^{1}H and ^{13}C NMR assignments of totarol and its derivatives	1951	B.-P. Ying and I. Kubo
Clerodane-type diterpenes and other constituents of *Penianthus zenkeri*	1957	H. Achenbach and H. Hemrich
neo-Clerodane diterpenoids from *Teucrium pernyi*	1963	Xie Ning, Min Zhi-da, Zhao Shou-xun, Wu Bing, Zheng Qi-Tai and Zhang Pei
Two *nor*-diterpene dilactones from *Podocarpus nagi*	1967	I. Kubo and B.-P. Ying
Diterpenes from the brown alga *Dictyota divaricata* of the Indian Ocean	1971	Ch. Bheemasankara Rao, G. Trimurtulu, D. Venkata Rao, S. C. Bobzin, D. M. Kushlan and D. J. Faulkner
Elasclepial and other tetracyclic diterpenoids from *Elaeoselinum asclepium*	1977	M. Grande, B. Mancheño and M. J. Sanchez
Triterpene lactones from the stem bark of *Abies firma*	1983	R. Tanaka and S. Matsunaga
α-Amyrin derivatives from *Corchorus depressus*	1989	M. S. Y. Khan, K. Javed, M. H. Khan, M. A. Shamsi and A. A. Siddiqui
12-Hydroxy steroidal glycosides from the caudex of *Yucca gloriosa*	1993	K. Nakano, Y. Hara, K. Murakami, Y. Takaishi and T. Tomimatsu
Norcarotenoids of *Rehmannia glutinosa* var. *hueichingensis*	1997	H. Sasaki, T. Morota, H. Nishimura, T. Ogino, T. Katsuhara, K. Sugama, M. Chin and H. Mitsuhashi

Prenylated benzophenones from *Clusia sandiensis*	2003	F. Delle Monache, G. Delle Monache and E. Gacs-Baitz
Determination and characterization of cyclodimers of naturally occurring phenolic acids	2007	I. M. Morrison, R. W. Robertson, D. Stewart and F. Wightman
Phenolic glycosides from *Viburnum dilatatum*	2013	K. Machida, Y. Nakano and M. Kikuchi
Phenylethanoid glycosides from *Plantago asiatica*	2015	T. Miyase, M. Ishino, C. Akahori, A. Ueno, Y. Ohkawa and H. Tanizawa
Terpeno-*p*-hydroxybenzoic acid derivatives from *Rapanea umbellata*	2019	A. H. Januário, V. P. Vieira, M. F. das G. F. da Silva and J. B. Fernandes
Lignan and terpene glycosides from *Epimedium sagittatum*	2025	H. Matsushita, T. Miyase and A. Ueno
Ketoalcohols, lignans and coumarins from *Chiococca alba*	2029	M. A. Abd El-Hafiz, B. Weniger, J. C. Quirion and R. Anton
Polyphenolic compounds from *Croton lechleri*	2033	Y. Cai, F. J. Evans, M. F. Roberts, J. D. Phillipson, M. H. Zenk and Y. Y. Gleba
A-type proanthocyanidins from *Prunus spinosa*	2041	H. Kolodziej, M. K. Sakar, J. F. W. Burger, R. Engelshowe and D. Ferreira
An approximate estimate of self-association constants and the self-stacking conformation of malvin quinonoidal bases studied by ^{1}H NMR	2049	T. Hoshino
Flavonol triglycosides containing galactose in tea	2057	A. Finger, U. H. Engelhardt and V. Wray
Two xanthones from *Polygala tenuifolia*	2061	Y. Ikeya, K. Sugama, M. Okada and H. Mitsuhashi
A facile degradation procedure for determination of absolute configuration in 1,3-dimethyltetra- and dihydroisoquinolines	2067	G. Bringmann, T. Geuder, M. Rübenacker and R. Zagst
Alkaloids from *Sarcocapnos saetabensis*	2071	O. Blanco, L. Castedo, D. Cortes and M. C. Villaverde
Short Reports		
8-Hentriacontanol and other constituents from *Piper attenuatum*	2075	M. A. Sumathykutty and J. Madhusudana Rao
An aliphatic dihydroxyketone from *Achyranthes aspera*	2076	T. N. Misra, R. S. Singh, H. S. Pandey and C. Prasad
Furoeremophilanes and related compounds from *Senecio pachyphyllos*	2078	M. Ahmed and H.-M. Niemeyer
Dennstoside A, an analogue of ptaquiloside, from *Dennstaedtia scabra*	2080	K. Koyama, S. Takatsuki and S. Natori
Eremophilenolides from *Hertia cheirifolia*	2083	P. Aclinou, A. Benkouider, G. Massiot and L. Le Men-Olivier
Abietane diterpenoids from *Salvia microstegia*	2085	A. Ulubelen and G. Topcu
Butyraceol, a triterpenoidal sapogenin from *Madhuca butyracea*	2087	G. Misra, R. Banerji and S. K. Nigam
Caffeic acid esters and triterpenes of *Alibertia macrophylla*	2089	V. da S. Bolzani, L. M. V. Trevisan and M. C. M. Young

Bulbophyllanthrone, a phenanthraquinone from *Bulbophyllum odoratissimum* 2092 P. L. Majumder and R. C. Sen

Albiflorin-1, a coumarin from *Boenninghausenia albiflora* 2094 P. C. Joshi, S. Mandal, P. C. Das and A. Chatterjee

Penicillide and dehydroisopenicillide from *Talaromyces derxii* 2096 K. Suzuki, K. Nozawa, S. Udagawa, S. Nakajima and K. Kawai

Corrigenda 2099

Note 2099

Number 7

Growth and Metabolism

Influence of UV-B radiation on polyamines, lipid peroxidation and membrane lipids in cucumber 2101 G. F. Kramer, H. A. Norman, D. T. Krizek and R. M. Mirecki

Fatty acid hydroperoxide cleaving enzyme, hydroperoxide lyase, from tea leaves 2109 K. Matsui, H. Toyota, T. Kajiwara, T. Kakuno and A. Hatanaka

An *exo*-polygalacturonase from rice shoots 2115 H. Konno and H. Tsumuki

Multiple forms of acid phosphatase in germinating seeds of *Vigna sinensis* 2119 T. K. Biswas and C. Cundiff

In vitro oleate desaturase in developing sunflower seeds 2127 R. Garcés and M. Mancha

The induction of chickpea glutathione *S*-transferase by oxadiazon 2131 A. A. Hunaiti and B. R. Ali

Changes in cyanogenic glucoside content in seeds and seedlings of *Hevea* species 2135 D. Selmar, R. Lieberei, N. Junqueira and B. Biehl

Characterization of the nickel-rich extract from the nickel hyperaccumulator *Dichapetalum gelonioides* 2141 F. A. Homer, R. D. Reeves, R. R. Brooks and A. J. M. Baker

Age dependent accumulation of vitamin E in spruce needles 2147 J. Franzen, D. Glatzle, J. Bausch and E. Wagner

Induction of ethylene biosynthesis is correlated with but not required for induction of alkaloid accumulation in elicitor-treated *Eschscholtzia* cells 2151 T. Piatti, T. Boller and P. E. Brodelius

Ecological Biochemistry

Effects of SO_2 on the composition of ryegrass cell walls 2155 M. J. Kozioł

Fatty acids and alkanes in leaves of frost-tolerant and frost-susceptible willows 2161 H. Rosenqvist and S. Laakso

Insecticide and acaricide activities of polyhalogenated monoterpenes from Chilean *Plocamium cartilagineum* 2165 A. San-Martin, R. Negrete and J. Rovirosa

Capsidiol and ethylene production by tobacco cells in response to cryptogein, an elicitor from *Phytophthora cryptogea* 2171 M.-L. Milat, P. Ricci, P. Bonnet and J.-P. Blein

Potential anti-infective *o*-catechol derivatives isolated from *Guardiola platyphylla* 2175 S. Wahyuono, J. J. Hoffmann, R. B. Bates and S. P. McLaughlin

Astringin and isorhapontin distribution in Sitka spruce trees 2183 C. D. Toscano Underwood and R. B. Pearce

Cyperine, a phytotoxin produced by *Ascochyta cypericola*, a fungal pathogen of *Cyperus rotundus* 2191 A. Stierle, R. Upadhyay and G. Strobel

Bioactive neolignans from the leaves of *Magnolia virginiana*	2193	J. K. Nitao, M. G. Nair, D. L. Thorogood, K. S. Johnson and J. M. Scriber
Flavonoids produced by *Iris pseudacorus* leaves treated with cupric chloride	2197	F. Hanawa, S. Tahara and J. Mizutani
Root exudates of wild oats: allelopathic effect on spring wheat	2199	F. J. Pérez and J. Ormeño-Nuñez
Biosynthesis		
Uptake of shikimate pathway intermediates by intact chloroplasts	2203	C. Leuschner and G. Schultz
Biosynthesis of *n*-alkatrienes in *Botryococcus braunii*	2209	J. Templier, C. Largeau and E. Casadevall
In vitro desaturation of monogalactosyldiacylglycerol and phosphatidylcholine molecular species by chloroplast homogenates	2217	H. A. Norman, P. Pillai and J. B. St. John
Stereospecificity of hydrogen transfer by NADP-linked acyclic monoterpene primary alcohol dehydrogenase	2223	H. Ikeda, S. Nakai, K. Hashimoto, S. Uesato, N. Esaki, K. Soda and T. Fujita
Inhibition of gibberellin biosynthesis in *Gibberella fujikuroi* by 19-norgibberell-16-enes	2227	M. S. Ali, M. K. Baynham and J. R. Hanson
Formation of *p*-hydroxybenzoic acid from *p*-coumaric acid by cell free extract of *Lithospermum erythrorhizon* cell cultures	2233	K. Yazaki, L. Heide and M. Tabata
Biosynthesis of trichothecene mycotoxins: identification of isotrichodiol as a post-trichodiene intermediate	2237	A. R. Hesketh, L. Gledhill, D. C. Marsh, B. W. Bycroft, P. M. Dewick and J. Gilbert
Seasonal variations in biosynthetic capacity for the synthesis of caffeine in tea leaves	2245	N. Fujimori, T. Suzuki and H. Ashihara
Cell Culture and Biotechnology		
Cytokinin production by two ectomycorrhizal fungi in liquid culture	2249	H. Kraigher, A. Grayling, T. L. Wang and D. E. Hanke
Lobetyolin and lobetyol from hairy root culture of *Lobelia inflata*	2255	K. Ishimaru, H. Yonemitsu and K. Shimomura
Fusarin C and 8*Z*-fusarin C from *Gibberella fujikuroi*	2259	A. F. Barrero, J. F. Sánchez, J. E. Oltra, N. Tamayo, E. Cerdá-Olmedo, R. Candau and J. Avalos
Microbial transformations of stemodin, a *Stemodia* diterpene	2265	F. A. Badria and C. D. Hufford
Biotransformation of testosterone isomers by a green cell suspension culture of *Marchantia polymorpha*	2269	H. Hamada, H. Konishi, H. J. Williams and A. I. Scott
Induction of anthocyanin synthesis and related enzyme activities in cell cultures of *Centaurea cyanus* by UV-light irradiation	2271	K. Kakegawa, E. Hattori, K. Koike and K. Takeda
Tropane alkaloids in the adventitious and hairy root cultures of solanaceous plants	2275	K. Shimomura, M. Sauerwein and K. Ishimaru
Chemotaxonomy		
Glycolipids and fatty acids of some seaweeds and marine grasses from the Black Sea	2279	V. M. Dembitsky, E. E. Pechenkina-Shubina and O. A. Rozentsvet
Fatty acid variability in some *Mentha* hybrids	2285	M. Maffei, S. Scannerini and A. Codignola
Composition and variability of the essential oil of *Thymus willkomii*	2289	T. Adzet, S. Cañigueral, N. Gabalda, C. Ibañez, X. Tomas and R. Vila
Geographical distribution of tamariscol, a mossy odorous sesquiterpene alcohol, in the liverwort *Frullania tamarisci* and related species	2295	Y. Asakawa, M. Sono, M. Wakamatsu, K. Kondo, S. Hattori and M. Mizutani

Sterols of some diatoms	2301	P. K. Gladu, G. W. Patterson, G. H. Wikfors, D. J. Chitwood and W. R. Lusby
Sterols of mosses	2305	A. Matsuo and A. Sato
Grammitic acid, a long-chain substituted benzoic acid derivative from the fern *Grammitis argyrata*	2307	E. Wollenweber and F. J. Arriaga-Giner
Trigonelline in coffee	2309	P. Mazzafera
Plant Chemistry HPLC purification of destruxins produced by *Alternaria brassicae* in culture and leaves of *Brassica napus*	2311	L. Buchwaldt and J. S. Jensen
Acetylation at O-2 of arabinofuranose residues in feruloylated arabinoxylan from bamboo shoot cell-walls	2317	T. Ishii
Absolute configuration of a triolacetylene from *Cirsium japonicum*	2321	Y. Takaishi, T. Okuyama, K. Nakano, K. Murakami and T. Tomimatsu
Germacrane esters from roots of *Ligularia persica*	2325	J. A. Marco, J. F. Sanz, A. García-Sarrión and A. Rustaiyan
Eudesmanolides from *Senecio chrysanthemoides*	2329	N. Mengi, S. C. Taneja, V. P. Mahajan and C. S. Mathela
Sesquiterpene lactones and flavonoids from *Centaurea aspera*	2331	M. L. Cardona, I. Fernández, J. R. Pedro and B. Pérez
Clerodane and *seco*-clerodane diterpenoids from *Salvia reptans*	2335	B. Esquivel, O. Esquivel, J. Cárdenas, A. A. Sánchez, T. P. Ramamoorthy, R. A. Toscano and L. Rodríguez-Hahn
Abietane diterpenoids from *Lepechinia meyeni* and *Lepechinia hastata*	2339	M. Bruno, G. Savona, F. Piozzi, M. C. de la Torre, B. Rodriguez and M. Marlier
Taxanes from *Taxus chinensis*	2345	Z. Zhang and Z. Jia
Triterpene glycosides from *Schefflera octophylla*	2349	T. V. Sung, W. Steglich and G. Adam
Triterpenoid glycosides from the bark of *Mimosa tenuiflora*	2357	Y. Jiang, G. Massiot, C. Lavaud, J.-M. Teulon, C. Guéchot, M. Haag-Berrurier and R. Anton
Musancropic acids A and B: A-ring contracted triterpenes from *Musanga cecropioides*	2361	D. Lontsi, B. L. Sondengam, M. T. Martin and B. Bodo
Limonoid glucosides in *Tetradium rutaecarpa*	2365	Y. Ozaki, M. Miyake, H. Maeda, Y. Ifuku, R. D. Bennett and S. Hasegawa
5α-Cholest-8(14)-en-3β-ol and three 24-alkyl-$\Delta^{8(14)}$-sterols from the bulbils of *Dioscorea batatas*	2369	T. Akihisa, N. Tanaka, T. Yokota, N. Tanno and T. Tamura
Acetogenins from root bark of *Uvaria narum*	2373	A. Hisham, L. A. C. Pieters, M. Claeys, H. van den Heuvel, E. Esmans, R. Dommisse and A. J. Vlietinck
Furanonaphthoquinones from *Tabebuia ochracea*	2379	C. L. Zani, A. B. De Oliveira, and G. G. De Oliveira
Structure of ferulenol derivatives from *Ferula communis* var. *genuina*	2383	D. Lamnaouer, O. Fraigui, M. T. Martin and B. Bodo

An acylated peonidin glycoside in the violet-blue flowers of *Pharbitis nil*	2387	T. S. Lu, N. Saito, M. Yokoi, A. Shigihara and T. Honda
Acetylated flavonol glycosides from *Zingiber zerumbet*	2391	T. Masuda, A. Jitoe, S. Kato and N. Nakatani
A lupine alkaloid from *Leontice leontopetalum*	2393	T. H. Al-Tel, S. S. Sabri, M. H. Abu Zarga, A. Pervin, Z. Shah, Atta-ur-Rahman and D. S. Rycroft
Short Reports		
trans-4-Methoxypipecolic acid, an amino acid from *Inga paterno*	2397	T. C. Morton, A. S. Zektzer, J. P. Rife and J. T. Romeo
7-Keto-octadec-*cis*-11-enoic acid from *Gardenia lucida* seed oil	2399	C. Mahmood, J. D. Daulatabad, G. M. M. Mulla, A. M. Mirajkar and K. M. Hosamani
Iridoid and phenylpropanoid glycosides from *Pedicularis condensata*	2401	Z. Akdemir, İ. Çalış and P. Junior
Two eudesmane acids from *Artemisia vulgaris*	2403	J. A. Marco, J. F. Sanz and P. del Hierro
A *nor*-guaianolide and a glaucolide-like eudesmanolide from *Pulicaria undulata*	2405	A. Rustaiyan, Z. Habibi, M. Saberi and J. Jakupovic
Highly oxygenated furoeremophilane derivatives from *Senecio zoellneri*	2407	M. Ahmed, J. Jakupovic, F. Bohlmann and H. M. Niemeyer
Diterpenoids from *Eragrostis ferruginea*	2410	K. Nishiya, T. Kimura, K. Takeya, H. Itokawa and S. R. Lee
Diterpenoids from *Salvia wiedemannii*	2412	G. Topcu and A. Ulubelen
Tetracyclic diterpenols from *Euphorbia sieboldiana*	2413	Y.-L. Ding and Z.-J. Jia
Semialatic acid, a triterpene from *Rhus semialata*	2415	N. Parveen, M. P. Singh, N. U. Khan, B. Achari and M. K. Logani
An aliphatic δ-lactone from *Hyptis urticoides*	2417	A. Romo De Vivar, P. Vidales and A.-L. Pérez
A betulinic acid glycoside from *Schefflera venulosa*	2419	M. C. Purohit, G. Pant and M. S. M. Rawat
A steroid from *Pistia stratiotes*	2420	P. Monaco and L. Previtera
Acylglycosyl sterols from *Pistia stratiotes*	2422	M. Della Greca, A. Molinaro, P. Monaco and L. Previtera
A saponin from callus tissue of *Stauntonia hexaphylla*	2425	A. Ikuta, A. Morikawa and K. Kubota
An acetonaphthone and an isofuranonaphthoquinone from *Ventilago goughii*	2427	S. R. Jammula, S. B. Pepalla, H. Telikepalli, K. V. Jagannadha Rao and R. H. Thomson
5-Acetyl goniothalamin, a styryl dihydropyrone from *Goniothalamus uvaroides*	2430	F. B. Ahmad, W. A. Tukol, S. Omar and A. M. Sharif
Pendulin, a polyoxygenated phenanthrene derivative from the orchid *Cymbidium pendulum*	2432	P. L. Majumder and R. C. Sen
Ethyl brevifolin carboxylate from *Flueggea microcarpa*	2435	H. E. Gottlieb, S. Kumar, M. Sahai and A. B. Ray
Synthesis of 4-phenylcoumarins from *Dalbergia volubilis* and *Exostema caribaeum*	2438	P. Bose and J. Banerji

Three chalcones from *Senecio pseudotites*	2440	M. D'Agostino, V. De Feo, F. De Simone and C. Pizza
Luteolin 7,4′-dimethyl ether 6-*C*-glucoside from *Parkinsonia aculeata*	2442	N. H. El-Sayed, A. A. Ahmed, M. S. Ishak and F. E. Kandil
A flavonol triglycoside from *Actinidia arguta* var. *giraldii*	2443	R. F. Webby
Exudate flavonoids of *Inula viscosa*	2445	E. Wollenweber, K. Mayer and J. N. Roitman
11-Methoxytetrahydroalstonine, a heteroyohimbinoid alkaloid from *Vinca major*	2447	G. Mukhopadhyay, B. Mukherjee, A. Patra, A. Chatterjee, R. Ghosh, P. Roychowdhury and H. Kawazura
A pyridine alkaloid from *Ceropegia juncea*	2449	N. A. Adibatti, P. Thirugnanasambantham, C. Kulothungan, S. Viswanathan, L. Kameswaran, K. Balakrishna and E. Sukumar
Book Reviews		
Microbial Polyesters: by Yoshiharu Doi	2451	T. J. Walton
The Phytochemistry of the Horticultural Plants of Qatar: by A. M. Rizk and A. S. Al-Nowaihi	2451	J. B. Harborne
Chemotaxonomie der Pflanzen: by R. Hegnauer	2452	J. B. Harborne

Number 8

Review Article Number 61		
Acetylenes and related compounds in Astereae	2453	L. P. Christensen and J. Lam
Growth and Metabolism		
Substituted xanthines and cytokinin analogues as inhibitors of cytokinin *N*-glucosylation	2477	C. H. Hocart, D. S. Letham and C. W. Parker
Purification of a dry pea seed proteinolytic enzyme complex	2487	J.-F. Yang and L. Malek
Purification and characterization of an abundant rubber particle protein from guayule	2493	R. A. Backhaus, K. Cornish, S.-F. Chen, D.-S. Huang and V. H. Bess
A limited survey of the phylogenetic distribution of polyphenol oxidase	2499	T. D. Sherman, K. C. Vaughn and S. O. Duke
Partial purification of two gibberellin 2β-hydroxylases from cotyledons of *Phaseolus vulgaris*	2507	D. L. Griggs, P. Hedden and C. M. Lazarus
Inhibition of gibberellin 2β-hydroxylases by acylcyclohexanedione derivatives	2513	D. L. Griggs, P. Hedden, K. E. Temple-Smith and W. Rademacher
Tyramine hydroxycinnamoyl transferase in the roots of wheat and barley seedlings	2519	V. Louis and J. Negrel
Acidified phenol alters tomato cell wall pectin solubility and calcium content	2523	D. J. Huber
Effects of temperature and light on the glycolipids of *Sphagnum fimbriatum*	2529	K. Koskimies-Soininen and H. Nyberg
Distinguishable patterns of phospholipid susceptibility to catabolism in senescing carnation petals	2537	J. H. Brown, J. A. Chambers and J. E. Thompson

Ecological Biochemistry

Insect growth inhibitory *nor*-diterpenes, *cis*-dehydrocrotonin and *trans*-dehydrocrotonin, from *Croton cajucara* — 2545 — I. KUBO, Y. ASAKA and K. SHIBATA

Sterol composition of tobacco calli selected for resistance to fenpropimorph — 2547 — H. SCHALLER, P. MAILLOT-VERNIER, P. BENVENISTE and G. BELLIARD

Arbutin and sucrose in the leaves of the resurrection plant *Myrothamnus flabellifolia* — 2555 — R. SUAU, A. CUEVAS, V. VALPUESTA and M. S. REID

Structure–activity relationships of synthetic diosgenyl monoglycosides — 2557 — M. TAKECHI and Y. TANAKA

Phloroglucinol derivatives as competitive inhibitors against thromboxane A_2 and leukotriene D_4 from *Hypericum erectum* — 2559 — M. TADA, K. CHIBA, H. YAMADA and H. MARUYAMA

Spiciferones B and C, minor phytotoxins from the fungus *Cochliobolus spicifer* — 2563 — H. NAKAJIMA, T. HAMASAKI, M.-A. KOHNO and Y. KIMURA

Biosynthesis

The microbiological transformation of some *ent*-7α,15β-dihydroxykaurene derivatives by *Gibberella fujikuroi* — 2567 — B. M. FRAGA, M. G. HERNÁNDEZ and P. GONZÁLEZ

Biosynthesis of the clerodane furano-diterpene lactone skeleton in *Tinospora cordifolia* — 2573 — A. AKHILA, K. RANI and R. S. THAKUR

Cardenolide biosynthesis from acetate in *Asclepias curassavica* — 2577 — H. W. GROENEVELD, A. BINNEKAMP and D. SEYKENS

Correlation between *in vivo* and *in vitro* carotenogenesis in *Phycomyces* — 2587 — L. M. SALGADO, J. AVALOS, E. R. BEJARANO and E. CERDÁ-OLMEDO

Biosyntheses of alterporriol D and E by *Alternaria porri* — 2593 — K. OHNISHI, R. SUEMITSU, M. KUBOTA, H. MATANO and Y. YAMADA

Isoflavone *O*-methyltransferase activities in elicitor-treated cell suspension cultures of *Medicago sativa* — 2597 — R. EDWARDS and R. A. DIXON

8-Thiabicyclo[3.2.1]octan-3-one as a biochemical tool in the study of tropane alkaloid biosynthesis — 2607 — A. J. PARR, N. J. WALTON, S. BENSALEM, P. H. MCCABE and W. ROUTLEDGE

Cell Culture and Biotechnology

Morphogenetic influences on rubber content and molecular weight in tissue cultures of guayule — 2611 — R. A. NORTON, D. N. RADIN and E. RODRIGUEZ

Environmental and chemical effects on growth, resin and rubber production in guayule tissue cultures — 2615 — R. A. NORTON, D. N. RADIN and E. RODRIGUEZ

Chemotaxonomy

Comparison of the amino acid sequences of the lectins from seeds of *Dioclea lehmanni* and *Canavalia maritima* — 2619 — G. PEREZ, C. PEREZ, B. SOUSA-CAVADA, R. MOREIRA and M. RICHARDSON

Glucosinolate composition of seeds from 297 species of wild plants — 2623 — M. E. DAXENBICHLER, G. F. SPENCER, D. G. CARLSON, G. B. ROSE, A. M. BRINKER and R. G. POWELL

Fatty acid composition of seven *Sargassum* species — 2639 — S. V. KHOTIMCHENKO

Eremophilane derivatives and other constituents from *Haeckeria* species and further Australian Inuleae — 2643 — C. ZDERO, F. BOHLMANN, A. ANDERBERG and R. M. KING

Kaurane and beyerane derivatives from *Calocephalus knappii* — 2651 — J. JAKUPOVIC, U. GANZER, F. BOHLMANN and R. M. KING

Glaucolides and hirsutinolides from African *Vernonia* species — 2653 — C. ZDERO, F. BOHLMANN and G. M. MUNGAI

Gossypol enantiomer ratios in cotton seeds	2655	Q. B. Cass, E. Tiritan, S. A. Matlin and E. C. Freire
Ichangensin glucoside in *Citrus junos*, *Citrus sudachi* and *Citrus sphaerocarpa*	2659	Y. Ozaki, M. Miyake, H. Maeda, Y. Ifuku, R. D. Bennett, Z. Herman, C. H. Fong and S. Hasegawa
Flavones and other constituents from *Centaurea* species	2663	L. P. Christensen and J. Lam
Alkaloid variation within *Duboisia myoporoides*	2667	W. Gritsanapan and W. J. Griffin
Chemogeographical evolution of terpenoids in Icacinaceae	2671	M. A. C. Kaplan, J. Ribeiro and O. R. Gottlieb
Plant Chemistry		
Chromene amides from *Amyris texana*	2677	G. de la Fuente, M. Reina and I. Timon
Bioactive butenolides from *Melodorum fruticosum*	2685	P. Tuchinda, J. Udchachon, V. Reutrakul, T. Santisuk, W. C. Taylor, N. R. Farnsworth, J. M. Pezzuto and A. D. Kinghorn
Furoeremophilanes and other constituents from Chilean *Senecio* species	2691	J. Jakupovic, M. Grenz, F. Bohlmann and H. M. Niemeyer
Isocedrene derivatives and other constituents from *Acourtia nana*	2695	C. Zdero, F. Bohlmann, H. Sanchez and X. A. Dominguez
Acyclic sesquiterpene oligoglycosides from pericarps of *Sapindus delavayi*	2699	W.-H. Wong, R. Kasai, W. Choshi, Y. Nakagawa, K. Mizutani, K. Ohtani and O. Tanaka
Kaurane succinates and prenylated aromatics from *Odixia angusta* and *Ozothamnus obcordatus*	2703	C. Zdero, F. Bohlmann and A. Anderberg
Three saponins from *Oxytropis* species	2707	R.-Q. Sun, Z.-J. Jia and D.-L. Cheng
Triterpene saponins from *Cylicodiscus gabunensis*	2711	H. P. Tchivounda, B. Koudogbo, Y. Besace and E. Casadevall
A sulphated triterpenoid saponin from *Schefflera octophylla*	2717	T. V. Sung and G. Adam
Structural elucidation of five stereoisomeric acetogenins, uleicins A–E, by tandem mass spectrometry	2721	O. Laprévote, F. Roblot, R. Hocquemiller, A. Cavé, B. Charles and J.-C. Tabet
A reinvestigation of the structure of biruloquinone, a 9,10-phenanthrenequinone isolated from *Mycosphaerella rubella*	2729	A. Arnone, G. Nasini and O. Vajna de Pava
Blestrianol A, B and C, biphenanthrenes from *Bletilla striata*	2733	L. Bai, T. Kato, K. Inoue, M. Yamaki and S. Takagi
Derivatives of (+)-catechin-5-gallate from the bark of *Acacia nilotica*	2737	E. Malan
Hydroxyphlorethols from the brown alga *Carpophyllum maschalocarpum*	2741	K.-W. Glombitza and S.-M. Li
Hydrolysable tannin oligomers from *Rosa davurica*	2747	T. Yoshida, Z.-X. Jin and T. Okuda
A lignan and pyrone and other constituents from *Hyptis capitata*	2753	G. T. Almtorp, A. C. Hazell and K. B. G. Torssell
Purpurenol, a highly oxygenated coumarin from *Pterocaulon purpurascens*	2757	S. L. Debenedetti, E. L. Nadinic, J. D. Coussio, N. De Kimpe, J. Feneau-Dupont and J. P. Declercq

Methylated stilbenoids from *Bletilla striata*	2759	M. Yamaki, T. Kato, L. Bai, K. Inoue and S. Takagi
Flavonoid glycosides from *Cassia alata*	2761	D. Gupta and J. Singh
Two flavonol glycosides, hexandrasides C and D, from the underground parts of *Vancouveria hexandra*	2765	M. Mizuno, Y. Kanie, M. Iinuma, T. Tanaka and F. A. Lang
5,7,3′,4′,5′-Pentaoxygenated and 2′,6′-diprenylated isoflavones from *Piscidia erythrina*	2769	S. Tahara, M. Moriyama, J. L. Ingham and J. Mizutani
Isoflavans and a pterocarpan from *Astragalus mongholicus*	2777	A. Subarnas, Y. Oshima and H. Hikino
Alkaloids from *Guatteria goudotiana*	2781	L. Castedo, J. A. Granja, A. Rodríguez de Lera and M. C. Villaverde
Short Reports		
Acetylenes and labdanes from *Baccharis pedunculata*	2785	J. Jakupovic, A. Schuster and D. C. Wasshausen
A germacrane derivative from *Pallenis spinosa*	2788	J. F. Sanz and J. A. Marco
Diterpenoids from *Salvia miltiorrhiza*	2791	Y. Ikeshiro, I. Hashimoto, Y. Iwamoto, I. Mase and Y. Tomita
Diterpenoid acids from the leaves of armand pine	2793	J.-M. Fang, C.-I Lang, W.-L. Chen and Y.-S. Cheng
Triterpenoids from *Poria cocos*	2796	T. Tai, A. Akahori and T. Shingu
Saponins from *Deutzia corymbosa*	2798	N. Malaviya, R. Pal and N. M. Khanna
A benzoquinone and a coumestan from *Psoralea plicata*	2800	N. Rasool, A. Q. Khan, V. U. Ahmad and A. Malik
1-Acetylhydroquinone 4-galactoside from *Ferulago aucheri*	2803	S. Doganca, A. Ulubelen and E. Tuzlaci
Phenolic glucoside and other constituents of *Dipsacus laciniatus*	2805	O. M. Abdallah
A 5-methylcoumarin and glaucolides from *Bothriocline amplifolia*	2807	M. Ahmed, J. Jakupovic, F. Bohlmann and M. G. Mungai
Geranyl coumarins from *Clausena anisata*	2809	B. T. Ngadjui, S. M. Mouncherou, J. F. Ayafor, B. L. Sondengam and F. Tillequin
Cytotoxic pyranocoumarins from the aerial parts of *Peucedanum japonicum*	2812	C.-Y. Duh, S.-K. Wang and Y.-C. Wu
6-Hydroxykaempferol 7-rutinoside from leaves of *Sapium eugniaefolium*	2815	M. Ahmad, N. Jain, M. Kamil and M. Ilyas
Mearnsetin 3,7-dirhamnoside from *Asplenium antiquum*	2817	M. Mizuno, Y. Kyotani, M. Iinuma, T. Tanaka, H. Kojima and K. Iwatsuki
Book Review		
Studies in Natural Product Chemistry, Volume 7: Structure and Chemistry: edited by Atta-ur-Rahman	2819	J. B. Harborne

Number 9

Growth and Metabolism

Auxin activity of diazinecarboxylic acids 2821 D. Ricci, C. A. Maggiali, F. Ronchini, B. Tirillini and D. Fraternale

Plant growth factors produced by the fungus *Alternaria brassicae* 2825 J. S. Dahiya and J. P. Tewari

The complete amino acid sequence of the major kunitz trypsin inhibitor from the seeds of *Prosopsis juliflora* 2829 A. N. Monte Negreiros, M. M. Carvalho, J. Xavier Filho, A. Blanco-Labra, P. R. Shewry and M. Richardson

Isolation of flavodoxin isoforms from a macroalga *Porphyra umbilicalis* and a conformational change on dissociation of flavin 2835 N. T. Price, A. J. Smith and L. J. Rogers

Relationship of the flavodoxin isoforms from *Porphyra umbilicalis* 2841 N. T. Price, A. J. Smith and L. J. Rogers

Cytochrome *c*-553 from two species of macroalgae 2845 N. T. Price, A. J. Smith, A. G. Sykes and L. J. Rogers

The seed proteins of sunflower: comparative studies of cultivars 2849 J. Raymond, V. Inquello and J. L. Azanza

Metabolism of γ-glutamyl peptides during development, storage and sprouting of onion bulbs 2857 J. E. Lancaster and M. L. Shaw

Purification and properties of α-glucosidase from suspension-cultured sugar-beet cells 2861 Y. Yamasaki and H. Konno

Characterization of maize endosperm UDP-glucose:dolichol-phosphate glucosyltransferase 2865 J. A. Miernyk and W. E. Riedell

Influence of aromatic compounds and lignin on production of ligninolytic enzymes by *Phlebia radiata* 2869 J. Rogalski, T. K. Lundell, A. Leonowicz and A. I. Hatakka

Assay of isochorismate synthase from plant cell cultures by high-performance liquid chromatography 2873 C. Poulsen, R. van der Heijden and R. Verpoorte

Characterization of rosmarinic acid synthase from cell cultures of *Coleus blumei* 2877 M. S. Petersen

Interaction of thiocarbamate herbicides with fatty acid synthesis in germinating peas and their microsomal fractions 2883 K. O. Abulnaja and J. L. Harwood

Extracts of *Pisum sativum* metabolise phospholipid via a lipoxygenase-like mechanism 2889 D. J. Hardy, M. A. V. Gallegos and J. K. Gaunt

Light-induced rapid changes in inositolphospholipids and phosphatidylcholine in *Brassica* seedlings 2895 M. K. Acharya, I. Dureja-Munjal and S. Guha-Mukherjee

Incorporation and metabolism of radiolabelled linoleic acid in cultured cells of the moss *Rhytidiadelphus squarrosus* 2899 C. E. Hansen and P. Rossi

Ecdysteroid distribution during development of spinach 2905 R. J. Grebenok and J. H. Adler

Vitamin E content during development of some seedlings 2911 J. Franzen and M. M. Haaß

Ecological Biochemistry

Brassicanal C and two dioxindoles from cabbage 2915 K. Monde, K. Sasaki, A. Shirata and M. Takasugi

Haloadaptation of the green alga *Botryococcus braunii* (race A) 2919 R. Vazquez-Duhalt and B. O. Arredondo-Vega

Piscicidal sterol acylglucosides from *Edgeworthia chrysantha*	2927	T. Hashimoto, M. Tori and Y. Asakawa
Restricted occurrence of acetophenone signal compounds	2933	P. A. Spencer and G. H. N. Towers
Comparison of the fungicidal activities of (*E*)-4-hydroxylated stilbenes and related bibenzyls	2939	T. P. Schultz, Q. Cheng, W. D. Boldin, T. F. Hubbard, Jr, L. Jin, T. H. Fisher and D. D. Nicholas
Allelopathic inhibition of seed germination by *Cinchona* alkaloids?	2947	R. J. Aerts, W. Snoeijer, E. van der Meijden and R. Verpoorte
Biosynthesis		
Two methylenedioxy bridge forming cytochrome P-450 dependent enzymes are involved in (*S*)-stylopine biosynthesis	2953	W. Bauer and M. H. Zenk
Cell Culture and Biotechnology		
Screening of algae for potential alternative sources of eicosapentaenoic acid	2963	W. Yongmanitchai and O. P. Ward
Biotransformation of aromatic aldehydes and related compounds by *Euglena gracilis* Z	2969	Y. Noma, Y. Okajima, H. Takahashi and Y. Asakawa
Metabolism of salsolinol by tissue cultures of some Papaveraceae	2973	K. Iwasa, M. Kamigauchi and N. Takao
A piperidone alkaloid from *Hyoscyamus albus* roots transformed with *Agrobacterium rhizogenes*	2977	M. Sauerwein, K. Ishimaru and K. Shimomura
Chemotaxonomy		
Fatty acids of the Saturejoideae, Ajugoideae and Scutellarioideae (Lamiaceae)	2979	P. D. Marin, V. Sajdl, S. Kapor, B. Tatić and B. Petković
Carotenoids from three red algae of the Corallinaceae	2983	J. A. Palermo, E. G. Gros and A. M. Seldes
Guaiane esters from *Thapsia villosa*	2987	E. Lemmich, U. W. Smitt, J. S. Jensen and S. B. Christensen
Diterpenes and norditerpenes from the *Aristeguetia* group	2991	C. Zdero, F. Bohlmann and R. M. King
Chemical differences between species of *Asclepias* from the Intermountain region of North America	3001	M. B. Sady and J. N. Seiber
Analysis of phenolics of bud exudate of *Populus sieboldii* by GC-MS	3005	W. Greenaway, S. English, J. May and F. R. Whatley
Leysseral derivatives from *Anisothrix integra* and *Phagnalon purpurescens*	3009	C. Zdero, F. Bohlmann and A. A. Anderberg
Plant Chemistry		
Cannabisin A, an arylnaphthalene lignanamide from fruits of *Cannabis sativa*	3013	I. Sakakibara, T. Katsuhara, Y. Ikeya, K. Hayashi and H. Mitsuhashi
Water-soluble polysaccharides from *Ginkgo biloba* leaves	3017	J. Kraus
A C_{13}-norisoprenoid gentiobioside from quince fruit	3021	P. Winterhalter, S. Harmsen and F. Trani
Structures of sesquiterpene polyol esters from *Tripterygium wilfordii* var. *regelii*	3027	Y. Takaishi, S. Tamai, K. Nakano, K. Murakami and T. Tomimatsu
Sesquiterpene lactones from *Artemisia rutifolia*	3033	R. X. Tan, Z. J. Jia, J. Jakupovic, F. Bohlmann and S. Huneck
Sesquiterpenoids from the liverwort *Bazzania japonica*	3037	Y. Asakawa, M. Toyota, A. Ueda, M. Tori and Y. Fukazawa

Two caulerpin analogues and a sesquiterpene from *Caulerpa racemosa*	3041	A. S. R. Anjaneyulu, C. V. S. Prakash and U. V. Mallavadhani
Spiroterpenoids from *Plagiochila moritziana*	3043	J. Spörle, H. Becker, N. S. Allen and M. P. Gupta
Eleganolone derived diterpenes from *Bifurcaria bifurcata*	3049	L. Hougaard, U. Anthoni, C. Christophersen and P. H. Nielsen
Vicoside A, a 28-nortriterpenoid glucoside from *Vicoa indica*	3053	S. Vasanth, A. B. Kundu, S. K. Panda and A. Patra
A spirostanol glycoside from *Cestrum nocturnum*	3057	V. U. Ahmad, F. T. Baqai, I. Fatima and R. Ahmad
Steroidal saponins from *Allium giganteum* and *A. aflatunense*	3063	K. Kawashima, Y. Mimaki and Y. Sashida
An ursadienedioic acid glycoside from *Crossopteryx febrifuga*	3069	Babady-Bila, T. Ngalamulume, A. Kilonda, S. Toppet, F. Compernolle and G. Hoornaert
Phlinosides D and E, phenylpropanoid glycosides, and iridoids from *Phlomis linearis*	3073	İ. Çalış, A. A. Başaran, İ. Saracoğlu, O. Sticher and P. Rüedi
Two myricanol glycosides from *Myrica rubra* and revision of the structure of isomyricanone	3077	N. Sakurai, Y. Yaguchi, T. Hirakawa, M. Nagai and T. Inoue
Phenolics from *Colchicum decaisnei*	3081	T. H. Al-Tel, M. H. A. Zarga, S. S. Sabri, M. Feroz, N. Fatima, Z. Shah and Atta-ur-Rahman
Synthesis of biologically active tetrahydro-furofuranlignan-(syringin, pinoresinol)-mono- and bis-glucosides	3087	B. Vermes, O. Seligmann and H. Wagner
Complex flavonoids in farinose exudate from *Pityrogramma calomelanos*	3091	F. Asai, M. Iinuma, T. Tanaka and M. Mizuno
Four flavonoids in the roots of *Euchresta formosana*	3095	M. Mizuno, N. Matsuura, T. Tanaka, M. Iinuma and F. Ho
Flavone and flavonol glycosides from *Calluna vulgaris*	3099	D. P. Allais, A. Simon, B. Bennini, A. J. Chulia, M. Kaouadji and C. Delage
Flavonol and anthraquinone glycosides from *Rhamnus formosana*	3103	C.-N. Lin, M.-I. Chung, K.-H. Gan and C.-M. Lu
Pyrrolizidine alkaloids from *Echium pininana*	3107	E. Roeder, K. Liu and T. Bourauel
Lupin alkaloids from the seeds of *Lupinus termis*	3111	M. H. Mohamed, K. Saito, H. A. Kadry, T. I. Khalifa, H. A. Ammar and I. Murakoshi
Six tetrahydroisoquinoline-monoterpene glucosides from *Cephaelis ipecacuanha*	3117	A. Itoh, T. Tanahashi and N. Nagakura

Short Reports

Galactomannan, lichenan and isolichenan from the polysaccharide-rich lichen *Newropogon aurantiaco-ater*	3125	M. Baron, M. Iacomini, E. S. Fanta and P. A. J. Gorin
Aliphatic hydroxyketones from *Crinum augustum*	3127	M. A. Abd El-Hafiz
Monoterpenes from *Chrysactinia mexicana*	3129	G. Delgado and M. Y. Ríos
Benzofuranosesquiterpenes from *Ligularia virgaurea*	3132	Z.-J. Jia and H.-M. Chen
Diterpene acids from *Juniperus communis* subsp. *hemisphaerica*	3134	A. San Feliciano, E. Caballero, B. Del Rey and I. Sancho

Two diterpenes with a cleistanthane skeleton from *Vellozia declinans*	3136	A. C. Pinto, L. M. M. Valente and M. G. Pizzolatti
13β,18-Dihydroeurycomanol, a quassinoid from *Eurycoma longifolia*	3138	K. L. Chan, S. P. Lee, T. W. Sam, S. C. Tan, H. Noguchi and U. Sankawa
Geranyl anthraquinones from the bark of *Ploiarium alternifolium*	3141	G. J. Bennett, L. J. Harrison, M.-S. Lim, K.-Y. Sim, E.-C. Tan and J. D. Connolly
A resveratrol dimer from *Parthenocissus tricuspidata*	3144	A. P. Lins, J. D. Felicio, M. M. Braggio and L. C. Roque
Phenolic glycosides from *Osmanthus asiaticus*	3147	M. Sugiyama and M. Kikuchi
Phenanthrene derivatives from the medullae of *Juncus effusus*	3149	K. Shima, M. Toyota and Y. Asakawa
A flavanonol rhamnoside from *Hypericum japonicum*	3152	K. Ishiguro, S. Nagata, H. Fukumoto, M. Yamaki, S. Takagi and K. Isoi
An isoflavanone from roots of *Echinosophora koreensis*	3153	M. Iinuma, M. Ohyama, T. Tanaka, M. Mizuno and S.-K. Hong
Flavone and α-santalene derivatives from *Polygonum flaccidum*	3155	M. Ahmed, B. K. Datta, A. S. S. Rouf and J. Jakupovic
Two pyrano flavones from *Neoraputia alba*	3157	A. C. Arruda, P. C. Vieira, J. B. Fernandes, M. F. das G. F. da Silva, R. H. P. Francisco, A. M. G. D. Rodrigues and J. R. Lechat
Melochicorine, a pseudooxindole alkaloid from *Melochia corchorifolia*	3159	R. S. Bhakuni, Y. N. Shukla and R. S. Thakur
Solanocardinol: a steroidal alkaloid from *Solanum neocardenasii*	3161	S. F. Osman, S. L. Sinden, P. Irwin, K. Deahl and W. M. Tingey
Eburnaminol and larutensine, alkaloids from *Kopsia larutensis*	3164	K. Awang, M. Païs, T. Sévenet, H. Schaller, A. M. Nasir and A. H. A. Hadi
Alkaloids from *Melodinus suaveolens*	3168	J. H. Ye, Y.-L. Zhou, Z. H. Huang and F. Picot
Book Reviews		
Signal Perception and Transduction in Higher Plants: edited by R. Ranjeva and A. M. Boudet	3171	G. P. Bolwell
The Scented Ape: The Biology and Culture of Human Odour: by D. M. Stoddart	3171	J. B. Harborne
Chemotaxonomie der Pflanzen, Volume 9: by R. Hegnauer	3172	J. B. Harborne

Number 10

The Pergamon Phytochemistry Medal and Prize	3173	
Review Article Number 62		
Cold acclimation in plants	3177	M. Alberdi and L. J. Corcuera
Growth and Metabolism		
Protein phosphorylation in a cell-free translation system from *Vicia sativa*	3185	F. J. Arias, M. A. Rojo, J. M. Ferreras, R. Iglesias, R. Muñoz and T. Girbés

Synthesis and biological activity of allenic analogues of abscisic acid	3189	S. R. Abrams and B. V. Milborrow
Effect on plant growth of a sugar analogue, 1,4-dideoxy-1,4-iminoarabinitol: inhibition of invertase activity and sucrose transport in lucerne seedlings	3197	T. Aoki and S.-I. Hatanaka
Xyloglucan oligosaccharide α-L-fucosidase activity from growing pea stems and germinating nasturtium seeds	3203	V. Farkas, R. Hanna and G. Maclachlan
Lipids of cultured *Phaeocystis pouchetii*: signatures for food-web, biogeochemical and environmental studies in Antarctica and the Southern Ocean	3209	P. D. Nichols, J. H. Skerratt, A. Davidson, H. Burton and T. A. McMeekin
Changes in limonin and naringin levels in grapefruit albedo with maturity and the effects of gibberellic acid on these changes	3215	P. E. Shaw, C. O. Calkins, R. E. McDonald, P. D. Greany, J. C. Webb, M. O. Nisperos-Carriedo and S. M. Barros
Ecological Biochemistry		
Chemical basis of a highly specific mutualism: chiral esters attract pollinating beetles in Eupomatiaceae	3221	G. Bergström, I. Groth, O. Pellmyr, P. K. Endress, L. B. Thien, A. Hübener and W. Francke
Antimicrobial phenylpropanoids from *Piper sarmentosum*	3227	T. Masuda, A. Inazumi, Y. Yamada, W. G. Padolina, H. Kikuzaki and N. Nakatani
Isolation and identification of piceatannol as a phytoalexin from sugarcane	3229	A. M. Brinker and D. S. Seigler
High yield isolation and effect on proton leakage of glyceollins I and III	3233	J. L. Giannini, J. S. Halvorson and G. O. Spessard
Effect of environment on gramine content in barley leaves and susceptibility to the aphid *Schizaphis graminum*	3237	M. L. Salas and L. J. Corcuera
Biosynthesis		
Biosynthesis of the neurotoxin β-*N*-oxalyl-α,β-diaminopropionic acid in callus tissue of *Lathyrus sativus*	3241	Y.-H. Kuo and F. Lambein
Tyramine accumulation in *Nicotiana tabacum* transformed with a chimeric tryptophan decarboxylase gene	3245	D. D. Songstad, W. G. W. Kurz and C. L. Nessler
Biosynthesis of antheridic acid, the principal antheridiogen in *Anemia phyllitidis*	3247	T. Yamauchi, N. Oyama, H. Yamane, N. Murofushi, N. Takahashi, H. Schraudolf, M. Furber, L. N. Mander, G. L. Patrick and B. Twitchin
The secodopas, natural pigments in *Hygrocybe conica* and *Amanita muscaria*	3251	F. Terradas and H. Wyler
Cell Culture and Biotechnology		
Production of arachidonic acid and eicosapentaenoic acids by *Marchantia polymorpha* in cell culture	3255	Y. Shinmen, K. Katoh, S. Shimizu, S. Jareonkitmongkol and H. Yamada
Ferulic acid conjugates and betacyanins from cell cultures of *Beta vulgaris*	3261	M. Bokern, S. Heuer, V. Wray, L. Witte, T. Macek, T. Vanek and D. Strack
Induction of rosmarinic acid accumulation in cell suspension cultures of *Orthosiphon aristatus* after treatment with yeast extract	3267	W. Sumaryono, P. Proksch, T. Hartmann, M. Nimtz and V. Wray
A monoclonal antibody to scopolamine and its use for competitive enzyme-linked immunosorbent assay	3273	Y. Kikuchi, M. Irie, K. Yoshimatsu, K. Ishimaru, K. Shimomura, M. Satake, S. Sueyoshi, M. Tanno, S. Kamiya, J. Sawada and T. Terao
Alkaloid production in hairy roots of *Hyoscyamus albus* transformed with *Agrobacterium rhizogenes*	3277	M. Sauerwein and K. Shimomura

Hydroxamic acid content in undifferentiated and differentiated tissues of wheat	3281	G. E. Zúñiga and F. Massardo
Chemotaxonomy		
Quaternary nitrogen compounds from South American Moraceae	3285	T. Shrestha and N. G. Bisset
Acetylenes and other constituents from *Centaurea* species	3289	L. P. Christensen and J. Lam
Hydroxy-bis-dihydroencelin, a dimeric eudesmanolide and other eudesmanolides from *Montanoa speciosa*	3293	L. Quijano, F. Gómez-Garibay, R. I. Trejo-B. and T. Rios
Carvotacetone derivatives and other constituents from representatives of the *Sphaeranthus* group	3297	C. Zdero, F. Bohlmann and G. M. Mungai
Phloroglucinol derivatives from *Dryopteris fusco-atra* and *D. hawaiiensis*	3305	T. T. Patama and C.-J. Widén
Correlations between flavonoid composition and infrageneric taxonomy of some European *Galeopsis* species	3311	F. A. Tomás-Barberán, M. I. Gil, F. Ferreres and F. Tomás-Lorente
Isoquinoline alkaloids from *Platycapnos*	3315	R. Suau, A. Cuevas, A. I. Garcia, R. Rico and B. Cabezudo
Plant Chemistry		
Linear and branched pentaamines, hexaamines and heptaamines in seeds of *Vicia sativa*	3319	K. Hamana, M. Niitsu, K. Samejima and S. Matsuzaki
Dipeptides from the red alga *Acantophora spicifera*	3323	S. Wahidulla, L. D'Souza and S. Y. Kamat
Polyacetylenes from the roots of *Panax ginseng*	3327	K. Hirakura, M. Morita, K. Nakajima, Y. Ikeya and H. Mitsuhashi
Solamin, a cytotoxic mono-tetrahydrofuranic γ-lactone acetogenin from *Annona muricata* seeds	3335	S. H. Myint, D. Cortes, A. Laurens, R. Hocquemiller, M. Lebœuf, A. Cavé, J. Cotte and A.-M. Quéro
Germacrane derivatives from *Santolina chamaecyparissus*	3339	J. F. Sanz, A. García-Sarrión and J. A. Marco
Guaiane sesquiterpenes from agarwood	3343	M. Ishihara, T. Tsuneya and K. Uneyama
Functionalised silphiperfolenes from *Artemisia laciniata*	3349	P. Weyerstahl, H. Marschall-Weyerstahl, M. Schröder, J. Brendel and V. K. Kaul
Picrotoxane terpenoids from *Picrodendron baccatum*	3353	K. Koike, T. Ohmoto, T. Kawai and T. Sato
Salviandulines A and B. Two secoclerodane diterpenoids from *Salvia lavanduloides*	3357	A. Ortega, J. Cárdenas, A. Toscano, E. Maldonado, A. Aumelas, M. R. Van Calsteren and C. Jankowski
Diterpenes from *Sideritis canariensis*	3361	B. M. Fraga, R. Guillermo, M. G. Hernández, T. Mestres and J. M. Arteaga
Diterpenes from *Calceolaria polifolia*	3365	M. C. Chamy, M. Piovano, J. A. Garbarino and V. Gambaro
Fern constituents: Triterpenoids isolated from *Polypodium vulgare*, *P. fauriei* and *P. virginianum*	3369	Y. Arai, M. Yamaide, S. Yamazaki and H. Ageta
Iridals from *Belamcanda chinensis* and *Iris japonica*	3379	F. Abe, R.-F. Chen and T. Yamauchi
Steroids and triterpenoids from *Rosa laevigata*	3383	J.-M. Fang, K.-C. Wang and Y.-S. Cheng

Triterpenoid saponins from *Medicago hispida*	3389	S. B. Mahato
Triterpene saponins from *Verbascum songaricum*	3395	K. Seifert, A. Preiss, S. Johne, J. Schmidt, N. T. Lien, C. Lavaud and G. Massiot
Three triterpenoid saponins from *Triplostegia grandiflora*	3401	W.-G. Ma, D.-Z. Wang, Y.-L. Zeng and C. R. Yang
Steroidal saponins from the rhizomes of *Polygonatum orientale*	3405	E. Yeşilada and P. J. Houghton
Carotenoid sulphates from the aerobic photosynthetic bacterium, *Erythrobacter longus*	3411	S. Takaichi, K. Furihata, J. Ishidsu and K. Shimada
Carmalols and phlorethofuhalols from the brown alga *Carpophyllum maschalocarpum*	3417	S.-M. Li and K.-W. Glombitza
Fucophlorethols from the brown alga *Carpophyllum maschalocarpum*	3423	K.-W. Glombitza and S.-M. Li
Two stilbenoids from the orchid *Cirrhopetalum andersonii*	3429	P. L. Majumder and M. Basak
Prenylated xanthones from *Garcinia subelliptica*	3433	Y. Fukuyama, A. Kamiyama, Y. Mima and M. Kodama
Two sesquiterpene alkaloids from *Celastrus angulatus*	3437	Liu Ji-Kai, Han Xiu-Wen, Jia Zhong-Jian, Ju Yong and Wang Han-Qin
Dimeric indole alkaloids from *Uncaria callophylla*	3441	T.-S. Kam, K.-H. Lee and S.-H. Goh
Narciclasine-4-*O*-β-D-glucopyranoside, a glucosyloxy amidic phenanthridone derivative from *Pancratium maritimum*	3445	A. H. Abou-Donia, A. De Giulio, A. Evidente, M. Gaber, A.-A. Habib, R. Lanzetta and A. A. Seif El Din
Alkaloids from *Strychnos henningsii*	3449	G. Massiot, P. Thepenier, M.-J. Jacquier, J. Henin, L. Le Men-Olivier and C. Delaude

Short Reports

Polyenes from *Centaurea scabiosa*	3457	L. P. Christensen, J. Lam and T. Thomasen
Germacranolides from *Anthemis cupaniana*	3458	M. Bruno, J. G. Díaz and W. Herz
Xanthanolides from *Xanthium spinosum*	3461	M. Abdei-Mogib, A. M. Dawidar, M. A. Metwally and M. Abou-Elzahab
Minor sesquiterpene lactones from *Salvia palaefolia*	3462	A. G. González, T. A. Grillo, Z. E. Aguiar, J. G. Luis, J. Calle and A. Rivera
Sesquiterpene lactones from *Achillea crithmifolia*	3464	S. Milosavljević, I. Aljančić, S. Macura, D. Milinković and M. Stefanović
A sesquiterpene ketal from *Bunium paucifolium*	3467	G. Appendino, H. C. Özen, P. Lusso and M. Cisero
High field NMR spectroscopic studies of arteannuin B and a reappraisal of the structure of arteannuin C	3469	P. K. Agrawal, R. A. Vishwakarma, D. C. Jain and R. Roy
(5*S*,8*R*,9*R*,10*S*,13*S*)-2-Oxo-3-cleroden-15-oic acid from *Cistus palinhae*	3471	J. G. Urones, P. Basabe, I. S. Marcos, D. Díez Martín, V. Jiménez, M^a J. Sexmero, B. Gómez, A. M. Z. Slawin and D. J. Williams
A *cis*-clerodane diterpenic acid from *Eperua purpurea*	3474	D. Avila and J. D. Medina

A bisnorditerpene dilactone from *Podocarpus nagi*	3476	I. KUBO and B.-P. YING
Fern-9(11)-en-25-oic acid, a triterpene from *Adiantum venustum*	3478	J. BANERJEE, G. DATTA, C. P. DUTTA, T. EGUCHI, Y. FUJIMOTO and K. KAKINUMA
A triterpenoid saponin from *Oxytropis bicolor*	3480	R.-Q. SUN and Z.-J. JIA
Acidic and phenolic lignans from *Juniperus sabina*	3483	A. SAN FELICIANO, J. M. MIGUEL DEL CORRAL, M. GORDALIZA and A. CASTRO
The 6-*C*-chinovoside and 6-*C*-fucoside of luteolin from *Passiflora edulis*	3486	U. MARECK, K. HERRMANN, R. GALENSA and V. WRAY
Two methylenedioxyflavones from *Zieridium ignambiensis*	3488	L. ELAVUMOOTTIL, J. GARNIER, J. MAHUTEAU and M. PLAT
11,11-Dimethyl-1,3,8,10-tetrahydroxy-9-methoxypeltogynan and three pentacyclic triterpenes from *Cassine transvaalensis*	3490	S. E. DREWES, M. J. MASHIMBYE, J. S. FIELD and N. RAMESAR
A diterpenoid alkaloid from *Aconitum alboviolaceum*	3494	HAO ZHIGANG, LIU JINHAN, ZHAO SHOUXUN and MIAO ZHENCHUN
Homoerythrina alkaloids of *Phelline comosa*	3497	A. J. ALADSESANMI, J. K. SNYDER, C. J. KELLEY and J. J. HOFFMANN
Book Reviews		
Importance of Root to Shoot Communication in the Responses to Environmental Stress: Edited by W. J. DAVIES and B. JEFFCOAT	3499	R. M. M. CRAWFORD
Cellulose: Biosynthesis and Structure: by I. A. TARCHEVSKY and G. N. MARCHENKO	3499	G. FRANZ
Alkaloids: Chemical and Biological Perspectives, Volume 7: Edited by S. W. PELLETIER	3500	J. B. HARBORNE
Secondary Products from Plant Tissue Culture: Edited by B. V. CHARLWOOD and M. J. C. RHODES	3500	J. B. HARBORNE
With Bitter Herbs They Shall Eat It: by T. JOHNS	3501	J. B. HARBORNE

Number 11

Announcements	3503	
Growth and Metabolism		
Structure–activity relationships of zeatin cytokinins produced by plant pathogenic *Pseudomonades*	3505	A. EVIDENTE, T. FUJII, N. S. IACOBELLIS, S. RIVA, A. SISTO and G. SURICO
Relationship between immunological properties and structural model of 11*S* rapeseed globulin	3511	J. M. ROBIN, V. INQUELLO, B. MIMOUNI and J. L. AZANZA
C-Phycocyanin from the cyanobacterium *Aphanothece halophytica*	3515	C. M. HILDITCH, A. J. SMITH, P. BALDING and L. J. ROGERS
Isolation and partial amino acid sequence of domains of nitrate reductase from spinach	3519	R. J. FIDO
Purification and properties of *Neurospora* folylpolyglutamate synthetase	3525	P. Y. CHAN, P. L. DALE and E. A. COSSINS
Properties of diacylglycerol acyltransferase from microspore-derived embryos of *Brassica napus*	3533	R. J. WESELAKE, D. C. TAYLOR, M. K. POMEROY, S. L. LAWSON and E. W. UNDERHILL

Abscisic acid promotes fusion of phospholipid vesicles	3539	W. Stillwell, B. Brengle, Y. F. Cheng and S. R. Wassall
Induced homothallism in *Phytophthora cinnamomi*: a bioassay for volatile bioactive compounds	3545	I. G. O'Brien
Agrobacterium vir-inducing activities of glycosylated acetosyringone, acetovanillone, syringaldehyde and syringic acid derivatives	3549	F. M. Delmotte, D. Delay, J. Cizeau, B. Guerin and J.-C. Leple
Penetration, distribution and effects of [^{14}C]pentachlorophenol inside cultured *Acer* cells	3553	H. Albertin, S. Chiron, F. Nurit, P. Ravanel and M. Tissut
Potassium deficiency increases tropane alkaloid synthesis in *Atropa acuminata* via arginine and ornithine decarboxylase levels	3559	M. B. Khan and J. B. Harborne
Ecological Biochemistry		
Rice and stinging nettle lectins: insecticidal activity similar to wheat germ agglutinin	3565	J. E. Huesing, L. L. Murdock and R. E. Shade
Plicatin B, the antimicrobial principle of *Psoralea juncea*	3569	A. Schmitt, H. Telikepalli and L. A. Mitscher
Control and biological implications of alkaloid synthesis in *Cinchona* seedlings	3571	R. J. Aerts, W. Snoeijer, O. Aerts-Teerlink, E. van der Meijden and R. Verpoorte
Biosynthesis		
In vitro biosynthesis of a reserve glucomannan from *Lilium testaceum*	3579	T. Wozniewski, W. Blaschek and G. Franz
Phylloquinone (vitamin K_1) biosynthesis in *Euglena gracilis* strain Z	3585	J. W. Seeger, Jr and R. Bentley
Lignan biosynthesis in *Larix leptolepis* callus	3591	K. Nabeta, K. Nakahara, J. Yonekubo, H. Okuyama and T. Sasaya
Cell Culture and Biotechnology		
Biotransformation of aromatic ketones with cell cultures of carrot, tobacco and *Gardenia*	3595	Y. Naoshima and Y. Akakabe
The microbiological transformation of parthenin by *Beauveria bassiana* and *Sporotrichum pulverulentum*	3599	K. K. Bhutani and R. N. Thakur
Podophyllotoxin related lignans in plants and cell cultures of *Linum flavum*	3601	H. J. Wichers, G. G. Versluis-De Haan, J. W. Marsman and M. P. Harkes
The role of ethylene in berberine production by *Thalictrum minus* cell suspension cultures	3605	Y. Kobayashi, M. Hara, H. Fukui and M. Tabata
Chemotaxonomy		
Heparinoid-active sulphated polysaccharides from *Monostroma nitidum* and their distribution in the Chlorophyta	3611	M. Maeda, T. Uehara, N. Harada, M. Sekiguchi and A. Hiraoka
Scytophycins from a blue-green alga belonging to the Nostocaceae	3615	J. H. Jung, R. E. Moore and G. M. L. Patterson
Two chemotypes of *Scoparia dulcis* in Paraguay	3617	T. Hayashi, K. Okamura, M. Kawasaki and N. Morita
24-Methylene-25-methylcholesterol and both C-24 epimers of 24-ethyl-22-dehydrocholesterol in a freshwater green alga *Hydrodictyon reticulatum*	3621	T. Akihisa, S. Kojima, T. Yokota and T. Tamura
Xanthones from *Chironia krebsii*	3625	J.-L. Wolfender, M. Hamburger, J. D. Msonthi and K. Hostettmann

Co-occurrence of hydroxylated lupanines and their corresponding angelate esters in *Pearsonia* species	3631	G. H. Verdoorn and B.-E. van Wyk
Plant Chemistry		
The crystal structures of two plant non-protein neurotoxic amino acids	3635	A. J. Davis, M. B. Hursthouse, M. Motevalli, P. O'Brien and P. B. Nunn
A dipeptide derivative from *Hypericum japonicum*	3639	K. Ishiguro, S. Nagata, H. Fukumoto, M. Yamaki, S. Takagi and K. Isoi
A cyclohexenone from *Plagiochila longispina*	3643	U. Siegel, R. Mues, R. Dönig and T. Eicher
Diarylheptanoids from rhizomes of *Zingiber officinale*	3647	H. Kikuzaki, M. Kobayashi and N. Nakatani
Oxygenated nerolidol esters and eudesmane acids from *Inula viscosa*	3653	J. F. Sanz, C. Ferrando and J. A. Marco
Three guaianolides from *Anthemis hydruntina*	3657	R. Di Benedetto, F. Menichini, E. Gacs-Baitz and F. Delle Monache
Sesquiterpene lactones from *Artemisia barrelieri*	3661	J. A. Marco, J. F. Sanz, A. Yuste, M. Carda and J. Jakupovic
Friedolabdanes and other constituents from Chilean *Haplopappus* species	3669	C. Zdero, F. Bohlmann and H. M. Niemeyer
Diterpenes from the brown alga *Dictyota divaricata*	3679	G. M. König, A. D. Wright and O. Sticher
Seco-, *nor-*, normal and rearranged labdanes from *Haplopappus parvifolius*	3683	C. Zdero, F. Bohlmann and H. M. Niemeyer
neo-Clerodane diterpenoids from *Teucrium gracile*	3693	M. Bruno, G. Domínguez, A. Lourenço, F. Piozzi, B. Rodríguez, G. Savona, M. C. de la Torre and N. A. Arnold
ent-Kaurene diterpenoids, isodopharicins A, B and C in *Isodon pharicus*	3699	Z. Wang, P. Cheng, Z. Min, Q. Zheng, C. Wu, M. Xu, Y. Gue, M. Mizuno, M. Iinuma and T. Tanaka
Triterpenes from *Mucuna birdwoodiana*	3703	Y. Ding, J. Kinjo, C.-R. Yang and T. Nohara
Triterpenoids from gum mastic, the resin of *Pistacia lentiscus*	3709	F.-J. Marner, A. Freyer and J. Lex
Triterpenes from *Maytenus ilicifolia*	3713	H. Itokawa, O. Shirota, H. Ikuta, H. Morita, K. Takeya and Y. Iitaka
A bidesmosidic triterpenoid saponin from *Schefflera octophylla*	3717	T. V. Sung, J. Peter-Katalinic and G. Adam
Steroidal saponins from the bulbs of *Camassia cusickii*	3721	Y. Mimaki, Y. Sashida and K. Kawashima
Carotanoids and an acoranoid from *Rosa rugosa* leaves	3729	Y. Hashidoko, S. Tahara and J. Mizutani
Benzisochromanquinones from *Ventilago goughii*	3741	S. R. Jammula, S. B. Pepalla, H. Telikepalli, K. V. Jagannadha Rao and R. H. Thomson

Phenylpropanoid and iridoid glycosides from *Pedicularis spicata*	3745	Jia Zhongjian, Liu Zimin and Wang Changzeng
Phenylacetic acid derivatives and a thioamide glycoside from *Entada phaseoloides*	3749	J. Dai, L. B. S. Kardono, S. Tsauri, K. Padmawinata, J. M. Pezzuto and A. D. Kinghorn
Lignans from *Krameria ixina*	3753	H. Achenbach, W. Utz, A. Usubillaga and H. A. Rodriguez
Four neolignan ketones from *Piper capense*	3759	T. P. Green and D. F. Wiemer
Phenolics from the bark of *Tamarix aphylla*	3763	A. M. A. Souliman, H. H. Barakat, A. M. D. El-Mousallamy, M. S. A. Marzouk and M. A. M. Nawwar
Polyphenols of *Acacia raddiana*	3767	A. M. D. El-Mousallamy, H. H. Barakat, A. M. A. Souleman and S. Awadallah
Three cyanidin 3-glucuronylglucosides from red flowers of *Bellis perennis*	3769	K. Toki, N. Saito and T. Honda
Two complex flavanones from the roots of *Sophora leachiana*	3773	M. Iinuma, T. Tanaka, M. Kawai, M. Mizuno and F. A. Lang
Flavonoids of *Ochradenus baccatus*	3777	H. H. Barakat, A. M. D. El-Mousallamy, A. M. A. Souleman and S. Awadalla
Flavonol glycosides from *Monnina sylvatica*	3781	A. Bashir, M. Hamburger, M. P. Gupta, P. N. Solis and K. Hostettmann
Alkaloids from leaves and root bark of *Ervatamia hirta*	3785	P. Clivio, B. Richard, J.-R. Deverre, T. Sevenet, M. Zeches and L. Le Men-Oliver
Lupin alkaloids from *Sophora exigua*	3793	S. Takamatsu, K. Saito, S. Ohmiya, N. Ruangrungsi and I. Murakoshi

Short Reports

Amides from *Asarum chingchengense*	3797	Ding Zhihui, Ding Jingkai, Chen Zonglian, Bai Peiyu, Nanao Hayashi and Hisashi Komae
Aliphatic hydroxyketones from *Adhatoda vasica*	3799	R. S. Singh, T. N. Misra, H. S. Pandey and B. P. Singh
Harzianolide, a butenolide metabolite from cultures of *Trichoderma harzianum*	3802	N. Claydon, J. R. Hanson, A. Truneh and A. G. Avent
Limonoid glucosides in *Citrus aurantium*	3803	R. D. Bennett, M. Miyake, Y. Ozaki and S. Hasegawa
Oppositane and chiloscyphane sesquiterpenoids from the liverwort *Chiloscyphus pallescens*	3806	L. J. Harrison and Y. Asakawa
Sesquiterpene lactones from *Vernonia jugalis*	3808	F. Tsichritzis, K. Siems, J. Jakupovic, F. Bohlmann and G. M. Mungai

Guaianolides from *Brachylaena* species	3810	C. Zdero, F. Bohlmann and D. C. Wasshausen
Cleroinermin, a *neo*-clerodane diterpenoid from *Clerodendron inermi*	3812	P. Raha, A. K. Das, N. Adityachaudhuri and P. L. Majumder
Diterpenoids from the roots of *Salvia przewalskii*	3815	B. Li, F.-D. Niu, Z.-W. Lin, H.-J. Zhang, D.-Z. Wang and H.-D. Sun
Revision of C-22, C-23 configurations of two triterpenoids of the fungus *Pisolithus tinctorius*	3818	P. Macedo de Abreu, A. M. Lobo and S. Prabhakar
Maytensifolin-C, a friedelane alcohol from *Maytenus diversifolia*	3819	H. Nozaki, Y. Matsuura, S. Hirono, R. Kasai, T. Tada, M. Nakayama and K.-H. Lee
A dammarane from *Stevia salicifolia*	3822	R. Mata, V. Rodríguez, R. Pereda-Miranda, R. Bye and E. Linares
Two withanolides from *Withania somnifera*	3824	Atta-ur-Rahman, S. A. Jamal, M. I. Choudhary and E. Asif
A coumarin from *Setaria italica*	3826	N. Jain, M. S. Alam, M. Kamil, M. Ilyas and M. Ali
Pelargonidin 3-acetylglucoside in *Verbena* flowers	3828	K. Toki, T. Yamamoto, N. Terahara, N. Saito, T. Honda, H. Inoue and H. Mizutani
An acetylated flavanone glucoside from leaves of *Pyracantha coccinea*	3830	A. R. Bilia, S. Catalano, F. De Simone, I. Morelli and C. Pizza
Flavanones from *Tephrosia leiocarpa*	3832	F. Gómez-Garibay, L. Quijano and T. Rios
A chromenoflavanone and two caffeic esters from *Pongamia glabra*	3834	M. M. Saha, U. K. Mallik and A. K. Mallik
2-Phenoxychromones and a structurally related flavone from leaves of *Rosa rugosa*	3837	Y. Hashidoko, S. Tahara and J. Mizutani
Xanthone 2,4-di-*C*-glycosides from *Asplenium adiantum-nigrum*	3839	F. Imperato
C-Glycosylflavones from *Raputia paraensis*	3840	A. Bakhtiar, J. Gleye, C. Moulis and I. Fouraste
Two isoflavones from *Flemingia philippinensis*	3842	M. Chen, S.-Q. Lou and J.-H. Chen
Dioncophylline B, a naphthylisoquinoline alkaloid with a new coupling type from *Triphyophyllum peltatum*	3845	G. Bringmann, M. Rübenacker, T. Geuder and L. A. Assi

Number 12

Thirty Years of *Phytochemistry* 1961–1991	3849	
1. To our Authors and Referees	3850	
2. Editorial Board Members	3851	
3. The First Thirty Years—Phytochemists Past and Present	3852	J. B. Harborne

4. Progress and Prospects in Plant Metabolism 3856 T. AP REES

5. Serendipity as a Basis for Phytochemistry 3859 L. FOWDEN

6. Chasing the Enzymes of Secondary Metabolism —Plant Cell Culture as a Pot of Gold 3861 M. H. ZENK

7. Bioactivity in Plants—the Link between Phytochemistry and Medicine 3864 M. HAMBURGER and K. HOSTETTMANN

Review Article Number 63
Antimicrobial properties of tannins 3875 A. SCALBERT

Growth and Metabolism
DNA topoisomerase I from rice: enzyme synthesis in germination, and partial purification from cultured cells 3885 T. YOSHIDA, T. NAKATA and E. ICHISHIMA

Conformational changes in pennisetin using intrinsic fluorescence spectroscopy 3889 M. N. SAINANI, V. S. GUPTA and P. K. RANJEKAR

Characterization of amine oxidases from *Pisum*, *Lens*, *Lathyrus* and *Cicer* 3895 A. PADIGLIA, A. COGONI and G. FLORIS

Activity, isoenzymes and purity of mushroom tyrosinase in commercial preparations 3899 M. KUMAR and W. H. FLURKEY

A comparison of the polysaccharides extracted from dried and non-dried walls of suspension-cultured sycamore cells 3903 A KOLLER, M. A. O'NEILL, A. G. DARVILL and P. ALBERSHEIM

The metabolism of [3-^{3}H]oleanolic acid and its monoglycosides in cytoplasm and vacuole of protoplasts isolated from *Calendula officinalis* leaves 3909 W. JANISZOWSKA and A. SZAKIEL

Caffeine metabolism in *Coffea arabica* and other species of coffee 3913 P. MAZZAFERA, A. CROZIER and A. C. MAGALHÃES

Ecological Biochemistry
Coronatine analogues produced by *Xanthomonas campestris* pv *phormiicola* 3917 R. E. MITCHELL

Methoxybrassenins A and B, sulphur-containing stress metabolites from *Brassica oleracea* var. *capitata* 3921 K. MONDE, K. SASAKI, A. SHIRATA and M. TAKASUGI

The amide-type phytoalexin activity of carnation extracts is partly due to an artifact 3923 G. J. NIEMANN, J. LIEM, J. B. M. PUREVEEN and J. J. BOON

Volatile components of banana pseudostem of a cultivar susceptible to the banana weevil 3929 I. O. NDIEGE, W. J. BUDENBERG, W. LWANDE and A. HASSANALI

Insecticidal sesquiterpene polyol ester from *Celastrus angulatus* 3931 WANG MAOTIAN, QIN HAILIN, KONG MAN and LI YANZI

Cardenolides from *Asclepias asperula* subsp. *capricornu* and *A. viridis* 3935 R. A. MARTIN, S. P. LYNCH, F. J. SCHMITZ, E. O. PORDESIMO, S. TOTH and R. Y. HORTON

The cardenolide content of *Asclepias linaria* 3941 L. RODRÍGUEZ-HAHN and G. FONSECA

Structure–activity relationships of the saponins dioscin and dioscinin 3943 M. TAKECHI, S. SHIMADA and Y. TANAKA

Cytochalasins from *Phoma exigua* var. *heteromorpha* 3945 R. CAPASSO, A. EVIDENTE and M. VURRO

Biosynthesis
Nitrogen metabolism in cultures of *Tabernaemontana divaricata* 3951 J. SCHRIPSEMA, A. PELTENBURG-LOOMAN, C. ERKELENS and R. VERPOORTE

Accumulation of C_{20} and C_{22} unsaturated fatty acids in triacylglycerols from developing seeds of *Limnanthes alba* 3955 A. LARDANS and A. TRÉMOLIÈRES

Bioproduction of [^{14}C]deoxyphomenone, a fungistatic metabolite of the hyperparasite *Dicyma pulvinata*	3963	Y. Tirilly, F. Lambert and D. Thouvenot
The biotransformation of a gibberellin 20→19-lactone by *Gibberella fujikuroi*	3967	M. S. Ali, C. A. Davis and J. R. Hanson
Phycomyces blakesleeanus carB mutants: their use in assays of phytoene desaturase	3971	P. D. Fraser, J. De Las Rivas, A. Mackenzie and P. M. Bramley
Cell Culture and Biotechnology		
Volatile metabolites from suspension cultures of *Taraxacum officinale*	3977	I. Hook, H. Sheridan and G. Wilson
Biotransformation of monoterpenoids, (−)- and (+)-menthols, terpinolene and carvotanacetone by *Aspergillus* species	3981	Y. Asakawa, H. Takahashi, M. Toyota and Y. Noma
Biotransformation of steviol by cultured cells of *Eucalyptus perriniana* and *Coffea arabica*	3989	Y. Orihara, K. Saiki and T. Furuya
Biotransformation of germacrane-type sesquiterpenoids by *Aspergillus niger*	3993	Y. Asakawa, H. Takahashi and M. Toyota
Production of emetine and cephaeline from cell suspension and excised root cultures of *Cephaelis ipecacuanha*	3999	S. Jha, N. P. Sahu, J. Sen, T. B. Jha and S. B. Mahato
Chemotaxonomy		
Screening for plant lectins by latex agglutination tests	4005	R. Kaul, J. Read and B. Mattiasson
Stearidonic acid (18:4ω3) in *Primula florindae*	4011	K. Aitzetmüller and G. Werner
Identification of fatty acids from *Cladonia* lichens	4015	V. M. Dembitsky, T. Rezanka, I. A. Bychek and M. V. Shustov
Terpenoids and aromatic compounds from selected East Malaysian liverworts	4019	Y. Asakawa, X. Lin, K. Kondo and Y. Fukuyama
Glaucolides from Old World *Vernonia* species	4025	C. Zdero, F. Bohlmann, D. C. Wasshausen and M. G. Mungai
Sterols of three Leguminosae seeds: occurrence of 24α-ethyl-5α-cholest-9(11)-en-3β-ol and both C-24 epimers of 24-ethylcholesta-5,25-dien-3β-ol	4029	T. Akihisa, Y. Nishimura, K. Roy, P. Ghosh, S. Thakur and T. Tamura
Pyranocoumarins as chemotaxonomic markers in *Eriostemon coccineus* and *Philotheca citrina*	4033	M. A. Rashid, J. A. Armstrong, A. I. Gray and P. G. Waterman
Myricetin in *Tagetes*: chemosystematic significance	4037	L. R. A. de Israilev, M. A. Del Pero de Martinez and P. Seeligmann
Caffeine from green beans of *Mascarocoffea*	4039	M. N. Clifford, C. L. Gibson, J.-J. R. Rakotomalala, E. Cros and A. Charrier
Plant Chemistry		
Salicyloylaspartate as an endogenous component in the leaves of *Phaseolus vulgaris*	4041	D. J. Bourne, K. D. Barrow and B. V. Milborrow
Fragments of acylated 6-*O*-α-L-rhamnopyranosylcatalpol from leaves of *Premna japonica*	4045	H. Otsuka, T. Yamanaka, Y. Takeda, Y. Sasaki, K. Yamasaki, Y. Takeda and T. Seki
Hydroxylated jasmonic acid and related compounds from *Botryodiplodia theobromae*	4049	O. Miersch, G. Schneider and G. Sembdner
Three acetylated polyacetylenes from the roots of *Panax ginseng*	4053	K. Hirakura, M. Morita, K. Nakajima, Y. Ikeya and H. Mitsuhashi

Iridoids from *Catalpa bignonioides*	4057	T. Iwagawa, T. Hamada, S. Kurogi, T. Hase, T. Okubo and M. Kim
Neurotrophic secoaromadendrane-type sesquiterpenes from the liverwort *Plagiochila fruticosa*	4061	Y. Fukuyama and Y. Asakawa
Diterpenes from *Salvia mellifera*	4067	A. G. González, L. S. Andrés, J. G. Luis, I. Brito and M. L. Rodríguez
Diterpenes from *Croton salutaris*	4071	H. Itokawa, Y. Ichihara, K. Takeya, H. Morita and M. Motidome
Clerodane diterpenoids from the roots of *Portulaca pilosa*	4075	A. Ohsaki, Y. Kasetani, Y. Asaka, K. Shibata, T. Tokoroyama and T. Kubota
neo-Clerodane diterpenoids from *Teucrium oxylepis* subsp. *marianum*	4079	Mª J. Sexmero Cuadrado, M. C. de la Torre, B. Rodríguez, M. Bruno, F. Piozzi and G. Savona
neo-Clerodane diterpenoids from *Ajuga genevensis*	4083	P. Y. Malakov, G. Y. Papanov, M. C. de la Torre and B. Rodríguez
Swertane triterpenoids from *Swertia chirata*	4087	A. K. Chakravarty, S. Mukhopadhyay and B. Das
Fernane and multiflorane triterpene ketols from *Euphorbia supina*	4093	R. Tanaka and S. Matsunaga
Javanicinosides D–H, quassinoid glucosides from *Picrasma javanica*	4099	K. Ishii, K. Koike and T. Ohmoto
Applanoxidic acids A, B, C and D, biologically active tetracyclic triterpenes from *Ganoderma applanatum*	4105	Chairul, T. Tokuyama, Yo. Hayashi, M. Nishizawa, H. Tokuda, S. M. Chairul and Yu. Hayashi
Saponins from *Albizzia lucida*	4111	F. Orsini, F. Pelizzoni and L. Verotta
Glycosides of ergosterol derivatives from *Hericum erinacens*	4117	Y. Takaishi, M. Uda, T. Ohashi, K. Nakano, K. Murakami and T. Tomimatsu
Neolignans from *Ocotea catharinensis*	4121	M. Ishige, M. Motidome, M. Yoshida and O. R. Gottlieb
Dimeric and trimeric proanthocyanidins possessing a doubly linked structure from *Pavetta owariensis*	4129	A. M. Baldé, L. A. Pieters, V. Wray, H. Kolodziej, D. A. Vanden Berghe, M. Claeys and A. J. Vlietinck
Cyanidin 3-[6-(*p*-coumaroyl)-2-(xylosyl)-glucoside]-5-glucoside and other anthocyanins from fruits of *Sambucus canadensis*	4137	O.-P. Johansen, Ø. M. Andersen, W. Nerdal and D. W. Aksnes
Isocoumarins from *Coriandrum sativum*	4143	K. Baba, Y.-Q. Xiao, M. Taniguchi, H. Ohishi and M. Kozawa
A pterocarpan and two isoflavans from alfalfa	4147	G. F. Spencer, B. E. Jones, R. D. Plattner, D. E. Barnekow, L. S. Brinen and J. Clardy
Short Reports		
Polyacetylenes from the fruits of *Hedera helix*	4151	L. P. Christensen, J. Lam and T. Thomasen
Triacylbenzenes and long-chain volatile ketones from *Cochlospermum tinctorium* rhizome	4153	B. Diallo, R. Vanhaelen-Fastré and M. Vanhaelen

Iridoid glucosides from *Phlomis rotata*	4156	C.-Z. Zhang, C. Li, S.-I Feng and J.-G. Shi
Absolute configurations of pittosporatobiraside A and B from *Pittosporum tobira*	4158	K. Munesada, K. Ogihara and T. Suga
Terpenoids from *Neolitsea buisanensis*	4160	S.-L. Wu and W.-S. Li
3-Oxa-guaianolides from *Achillea millefolium*	4163	G. Ochir, M. Buděšínský and O. Motl
Guaianolides and lignans from *Centaurea solstitialis* subsp. *schouwii*	4165	M. Bruno, J. G. Díaz and W. Herz
A cadinane derivative from *Artemisia crithmifolia*	4167	J. F. Sanz, V. García-Lliso, J. A. Marco and J. Vallès-Xirau
Sesquiterpene polyol esters from *Celastrus rosthornianus*	4169	Tu Yongqiang and Chen Yaozu
Terpenoids from marine red alga *Laurencia pinnatifida*	4172	V. U. Ahmad and M. S. Ali
A *neo*-clerodane diterpene from *Teucrium japonicum*	4175	Min Zhi-Da, Xie Ning, Zhang Pei, Zhao Shou-Xun, Wang Chong-Shu and Zheng Qi-Tai
A triterpenoid glucoside from *Barringtonia acutangula*	4177	B. C. Pal, B. Achari and K. R. Price
A triterpenoid and its saponin from *Phytolacca esculenta*	4179	Yi Yang-Hua
Leucasin, a triterpene saponin from *Leucas nutans*	4181	M. Hasan, D. K. Burdi and V. U. Ahmad
Withanolides from *Dunalia australis*	4184	M. Lischewski, N. T. B. Hang, A. Porzel, G. Adam, G. Massiot and C. Lavaud
A spirostane hexaglycoside from *Agave cantala* fruits	4187	G. C. Uniyal, P. K. Agrawal, O. P. Sati and R. S. Thakur
Two phenylpropanoids from *Todaroa aurea* subsp. *suaveolens*	4189	A. G. González, J. B. Barrera, L. Arancibia L., J. G. Díaz and P. Pérez de Paz
An acetophenone and three naphthalides from Turkish *Rhamnus libanoticus*	4191	T. Satake, M. Coşkun, K. Hori, Y. Saiki and M. Tanker
A naphthalene glucoside lactone from *Rhamnus wightii*	4193	S. B. Pepalla, S. R. Jammula, H. Telikepalli, K. R. Bhattiprolu and K. V. Jagannadha Rao
Aromatic compounds from *Delphinium venulosum*	4195	A. H. Mericli, F. Mericli, A. Ulubelen and R. Ilarslan
A furanocoumarin from *Dorstenia contrajerva*	4196	L. A. Swain, J. M. E. Quirke, S. A. Winkle and K. R. Downum
A malonic acid ester derivative of naringin in grapefruit	4198	M. A. Berhow, R. D. Bennett, K. Kanes, S. M. Poling and C. E. Vandercook
A cinnamoylglucose from *Gomortega keule*	4200	J. H. Y. Vilegas, O. R. Gottlieb and H. E. Gottlieb
A stilbene derivative from *Gnetum parvifolium*	4201	M. Lin, J. B. Li, B. Wu and Q. T. Zheng
(−)-Di-de-*O*-methylgrandisin, a lignan from *Virola pavonis* leaves	4204	P. H. Ferri and L. E. S. Barata

Macrophylloside, a flavone glucoside from *Primula macrophylla*	4206	V. U. Ahmad, M. G. Shah, F. V. Mohammad, N. Ismail and M. Noorwala
Book Review		
Secondary Metabolism in Microorganisms, Plants and Animals: by M. Luckner	4209	J. B. Harborne
Errata and Corrigenda	4211	